

# SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT - EGW SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.811" Overall Width: .99" Mounting Hardware: (2) 6-32 Button Head Screws, (2) 6-32 Flat Head Screws, (1) 6-32 Set Screw Red Dot Fitment: Vortex Viper/Venom, Burris FastFire, Crimson Trace CTS-1200, CTS-1300, Docter. FITS: Sig P210 Target (American Only Post 2016) EGW's red dot sights are meant to be installed from the left to the right (with the muzzle facing forward). The dovetail has a progressive taper to allow for easier install. Simply remove the rear sight on your gun and replace it with our mount in order to mount your Vortex Viper/Venom, Burris FastFire, or Docter red-dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Button Head Cap Screws - Provided for Vortex Viper and Venom Sights 2 Flat Head Cap Screws - Provided for Burris FastFire and Docter Sights The screws that are included with this mount require a 5/64" allen wrench for installation.



## Attributes

- Name: [EGW SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000538
- Mfr. No.: 49299
- Colour: Black
- Material: Aluminum
- Model: P210A
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Sig Sauer
- Delivery weight: 0.033kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116638

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT Safety Instructions](#)
- [About Us](#)

# SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT Safety Instructions

## Introduction

Thank you for choosing the SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT. This product is designed to enhance your shooting experience by allowing you to mount a red dot sight securely. Please read this safety instruction guide carefully to ensure safe and effective use of the product.

## General Safety Guidelines

- Ensure that the sight mount is compatible with your firearm before installation.
- Always follow the manufacturer's instructions for installation and usage.
- Regularly inspect the sight mount and screws for any signs of wear or damage.
- Store the sight mount in a safe and dry place when not in use.
- Keep the sight mount out of reach of children and unauthorized users.

## Specific Safety Precautions for Use

### • Potential Hazards:

- Improper installation may lead to the sight becoming loose or detaching, which could cause injury or damage.
- Using incompatible red dot sights may compromise accuracy and safety.

### • Avoiding Hazards:

- Always ensure that the firearm is unloaded before installing or removing the sight mount.
- Use the correct tools and follow the provided installation instructions carefully.
- Do not modify the sight mount or screws in any way.
- If you notice any issues during installation or use, stop immediately and consult a qualified gunsmith.

### • Age Specific Warnings:

- This product is intended for adult users only. Keep away from children and individuals who are not trained in firearm safety.

## Instructions for Installation and Usage

### 1. Remove the Rear Sight:

- Ensure the firearm is unloaded.
- Carefully remove the rear sight from your SIG P210A Target.

### 2. Install the EGW Sight Mount:

- Place the EGW Sight Mount in the dovetail of your firearm from left to right (with the muzzle facing forward).
- Tighten the set screw (if applicable) to secure the mount.

### 3. Attach the Red Dot Sight:

- Place your red dot sight (Vortex Viper/Venom, Burris FastFire, or Docter) onto the EGW Sight Mount.
- For easier removal in the future, place a small piece of paper between the red dot sight and the mount to prevent Loctite from adhering to the sight.

#### **4. Secure the Mounting Screws:**

- Apply blue Loctite to the provided mounting screws.
- Torque the mounting screws to 15 in/lbs:
  - 2 Button Head Cap Screws for Vortex Viper and Venom Sights.
  - 2 Flat Head Cap Screws for Burris FastFire and Docter Sights.
- The included screws require a 5/64" allen wrench for installation.

#### **5. Final Check:**

- Doublecheck all screws and the stability of the sight mount before using the firearm.

## **Disposal Instructions**

- Dispose of the sight mount and any packaging materials responsibly.
- Follow local regulations for the disposal of aluminum and other materials used in this product.
- Do not dispose of the sight mount in regular household waste if it contains any hazardous materials.

## **Contact Information for Further Support**

For any questions or concerns regarding the SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT, please refer to the manufacturer's website or customer service resources.

By following these safety instructions, you can ensure a safe and enjoyable experience with your SIG SAUER P210A TARGET VORTEX VIPER/VENOM SIGHT MOUNT. Thank you for choosing our product, and please prioritize safety in all your shooting activities.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)