

EAA WITNESS ELITE MATCH TRIJICON RMR SIGHT MOUNT - EGW

EAA WITNESS ELITE MATCH TRIJICON RMR SIGHT MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

Material: 7075 Aluminum Coating: Matte Black Hardcoat Overall Length: 1.780" Overall Width: 1.1" Mounting Hardware: (2) 6-32 Flat Head Screws, (1) 6-32 X 3/16 Set Screw Red Dot Fitment: Trijicon RMR, Holosun HS507C This mounts fits: Baby Desert Eagle (Post 2006) EAA Witness Elite Match This mount does not fit: Rock Island 1911s Simply remove the rear sight on your gun and replace it with our mount in order to mount your Trijicon RMR red dot sight. No alterations are required. You can take our mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Flat Head Cap Screws - Provided for Trijicon RMR The screws that are included with this mount require a 5/64" allen wrench for installation.



Attributes

- Name: [EGW EAA WITNESS ELITE MATCH TRIJICON RMR SIGHT MOUNT](#)
- Manufacturer: [EGW](#)
- Product no.: 296000560
- Mfr. No.: 49501
- Colour: Black
- Material: Aluminum
- Model: Desert Eagle
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Magnum Research
- Delivery weight: 0.034kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 140mm
- UPC: 841370116713

Item details

Made in USA

Table of Contents

- Startpage
- EAA WITNESS ELITE MATCH TRIJICON RMR SIGHT MOUNT – Consumer Safety Instruction Guide
- About Us

EAA WITNESS ELITE MATCH TRIJICON RMR SIGHT MOUNT - Consumer Safety Instruction Guide

Introduction

Thank you for choosing the EAA Witness Elite Match Trijicon RMR Sight Mount. This guide provides essential safety instructions and installation guidelines to ensure safe and effective use of the product. Please read this guide carefully before using the sight mount.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always handle firearms and accessories responsibly and in accordance with local laws.
- Keep the sight mount away from children and unauthorized users.
- Regularly inspect the sight mount for any signs of wear or damage before use.
- If you notice any defects or issues, discontinue use immediately and consult a professional.

Specific Safety Precautions for Use

• Hazard Identification:

- Improper installation may result in damage to the firearm or the sight mount.
- Failure to securely tighten screws may lead to the sight mount detaching during use.
- Using incompatible red dot sights may compromise safety and performance.

• Avoiding Hazards:

- Always ensure that the firearm is unloaded before installation or removal of the sight mount.
- Use the provided mounting hardware only; do not substitute with other screws.
- Follow torque specifications carefully to avoid overtightening, which can damage the mount or firearm.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Gather tools: a 5/64" allen wrench and blue Loctite.

2. Installation Steps:

- Remove the rear sight from your firearm.
- Install the EGW Sight Mount into the dovetail of the firearm.
- Tighten the set screw (if applicable).
- Place the red dot sight on the EGW Sight Mount.
 - Note: Placing a small piece of paper between the red dot sight and the sight mount will facilitate easier removal and prevent Loctite from getting on the red dot sight.
- Apply blue Loctite to the provided mounting screws.
- Torque the mounting screws to 15 in/lbs.
- Use the included 2 Flat Head Cap Screws for the Trijicon RMR.

3. PostInstallation:

- Check that the sight mount is securely attached before using the firearm.
- Regularly inspect the sight mount and screws for tightness and integrity.

Disposal Instructions

- Dispose of the sight mount and any packaging materials in accordance with local regulations.
- Do not dispose of the sight mount in regular household waste if it contains hazardous materials.

Contact Information for Further Support

For safety inquiries or further support regarding the EAA Witness Elite Match Trijicon RMR Sight Mount, please refer to the manufacturer's contact information provided with the product packaging or visit the manufacturer's website.

Conclusion

By following the safety instructions and guidelines outlined in this document, you can ensure the safe and effective use of the EAA Witness Elite Match Trijicon RMR Sight Mount. Always remember to prioritize safety when handling firearms and their accessories. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk