

KIMBER FIXED SIGHT VORTEX VIPER/VENOM SIGHT MOUNT - EGW FIXED SIGHT MOUNT FOR VORTEX VIPER/VENOM FIT KIMBER 1911 BLK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Handgun Bases](#)

EGW red dot sights are meant to be installed from the left to the right (with the muzzle facing forward). The dovetail has a progressive taper to allow for easier install. Simply remove the rear sight on your gun and replace it with EGW mount in order to mount your Vortex Viper/Venom, Burris FastFire, or Docter red-dot sight. You can take the mount off and replace your rear sight at any time. Mounting hardware included. Installation Instructions Remove the rear sight* Install the EGW Sight Mount in the dovetail Tighten set screw (if applicable) Place the red dot sight on the EGW Sight Mount (placing a small piece of paper between the red dot sight and the sight mount will make for easier removal and will keep Loctite off of the red dot sight.) Apply blue Loctite to the provided mounting screws Torque mounting screws to 15in/lbs 2 Button Head Cap Screws - Provided for Vortex Viper and Venom Sights 2 Flat Head Cap Screws - Provided for Burris FastFire and Docter Sights The screws that are included with this mount require a 5/64" allen wrench for installation. Modification of your firearm may nullify the manufacturer's warranty. This product should be installed and checked by a qualified gunsmith. No liability is expressed or implied for damage or injury which may result from improper installation or use of this product. This mount does not fit: Kimber Micro Kimber Micro 9



Attributes

- Name: [EGW FIXED SIGHT MOUNT FOR VORTEX VIPER/VENOM FIT KIMBER 1911 BLK](#)
- Manufacturer: [EGW](#)
- Product no.: 296000662
- Mfr. No.: 49315
- Colour: Black
- Material: Aluminum
- Model: Desert Eagle 1911C, Desert Eagle 1911G, 1911
- Number of Bases: 1-Piece
- Style: Tactical
- Weapon type: Magnum Research, Kimber
- Delivery weight: 0.045kg
- Shipping height: 25mm
- Shipping width: 76mm
- Shipping length: 140mm
- UPC: 841370112890

Item details

Made in USA

Table of Contents

- Startpage
- KIMBER FIXED SIGHT VORTEX VIPER/VENOM SIGHT MOUNT USER SAFETY INSTRUCTIONS
- About Us

KIMBER FIXED SIGHT VORTEX VIPER/VENOM SIGHT MOUNT USER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the KIMBER FIXED SIGHT VORTEX VIPER/VENOM SIGHT MOUNT. This product is designed for use with Vortex Viper/Venom, Burris FastFire, or Docter reddot sights. This guide provides essential safety instructions and installation guidelines to ensure safe and effective use of the sight mount.

General Safety Guidelines

- Always ensure that the firearm is unloaded before beginning installation or maintenance.
- Use the sight mount only as intended and according to the instructions provided.
- Keep the sight mount and all related components out of reach of children and unauthorized users.
- Regularly inspect the sight mount and its hardware for wear or damage.
- If you notice any signs of damage or malfunction, discontinue use immediately and consult a qualified gunsmith.
- Follow all local laws and regulations regarding the use of firearm accessories.

Specific Safety Precautions for Use

- Modification of your firearm may void the manufacturer's warranty. Consult with a qualified gunsmith before making any modifications.
- Ensure that the mount is compatible with your specific firearm model. This mount does not fit:
 - Kimber Micro
 - Kimber Micro 9
- Use caution when handling tools and hardware during installation.
- Apply blue Loctite to the provided mounting screws to ensure secure installation, but avoid contact with the red dot sight.
- Be aware of potential hazards associated with improper installation, which may lead to damage or injury.

Instructions for Installation and Usage

1. **Remove the rear sight** from your firearm.
2. **Install the EGW Sight Mount** in the dovetail, ensuring it is oriented correctly (from left to right with the muzzle facing forward).
3. **Tighten the set screw** (if applicable) to secure the mount in place.
4. **Place the red dot sight** on the EGW Sight Mount. For easier removal, place a small piece of paper between the red dot sight and the sight mount to keep Loctite off the sight.
5. **Apply blue Loctite** to the provided mounting screws to secure the red dot sight.
6. **Torque the mounting screws** to 15 in/lbs.
 - 2 Button Head Cap Screws Provided for Vortex Viper and Venom Sights
 - 2 Flat Head Cap Screws Provided for Burris FastFire and Docter Sights
7. **Check the installation** to ensure everything is secure and functioning correctly before use.

Disposal Instructions

- Dispose of any packaging materials and unused parts in accordance with local waste disposal regulations.
- If the product is no longer in use, consider recycling components where possible.

Contact Information for Further Support

For any inquiries or support related to the KIMBER FIXED SIGHT VORTEX VIPER/VENOM SIGHT MOUNT, please refer to the manufacturer's contact information provided with your product purchase.

By following these guidelines, you can ensure safe and effective use of your KIMBER FIXED SIGHT VORTEX VIPER/VENOM SIGHT MOUNT. Thank you for prioritizing safety and compliance with EU General Product Safety Regulations.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk