

CZ 557 SHORT ACTION HD PICATINNY SCOPE MOUNT - EGW CZ 557 SA 1-PIECE PICATINNY BASE 0 MOA

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

This mount is made specifically for the CZ 557 Short Action. Please check your ejection port opening to make sure this mount will correctly fit. The opening measures 2.675"". EGW has had some rifles with longer ejection ports that are short action. Picatinny cross slots run the full length of the rail, which gives the shooter flexibility when mounting scope rings and other accessories. EGW one-piece scope mounts are the obvious choice for hunters and tactical shooters alike. This mount is a Picatinny-style base and compatible with Picatinny or Weaver scope rings. EGW machines these in their shop using one of their machining centers. After machining, the mounts are tumbled, sand blasted, and Type III anodized for long lasting durability. Recommend: 0 MOA - if shooting 0-500 yards 20 MOA -if shooting 500-1000 yards When zeroing your rifle with a 20 MOA mount, EGW recommends zeroing at 200 yards. Installation: EGW recommends 20 inch lbs of torque and a drip of blue loctite (loctite is sold separately). The entire mount and accessories (from the mounting screws and wrench down to the packaging) are made in the USA.



Attributes

- Name: [EGW CZ 557 SA 1-PIECE PICATINNY BASE 0 MOA](#)
- Manufacturer: [EGW](#)
- Product no.: 296000760
- Mfr. No.: 80924
- Action Type: Short
- Colour: Black
- Elevation: 0 MOA
- Material: Aluminum
- Number of Bases: 1-Piece
- Style: Picatinny Rail
- Weapon type: CZ
- Delivery weight: 0.136kg
- Shipping height: 25mm
- Shipping width: 89mm
- Shipping length: 229mm
- UPC: 841370115723

Item details

Made in USA

Table of Contents

- Startpage
- CZ 557 SHORT ACTION HD PICATINNY SCOPE MOUNT USER MANUAL
- About Us

CZ 557 SHORT ACTION HD PICATINNY SCOPE MOUNT USER MANUAL

Introduction

Thank you for choosing the CZ 557 Short Action HD Picatinny Scope Mount by EGW. This manual provides essential safety guidelines and installation instructions to ensure safe and effective use of your scope mount. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that the mount is compatible with your specific rifle model before installation.
- Always check the ejection port opening of your rifle to confirm that the mount fits correctly. The opening should measure 2.675 inches.
- Use the mount only for its intended purpose, which is to securely attach scope rings and accessories to your rifle.
- Keep the mount and all accessories out of reach of children and vulnerable individuals.
- Regularly inspect the mount for any signs of wear or damage. Do not use if damaged.
- If you experience any malfunctions or have concerns about safety, discontinue use immediately and seek professional assistance.

Specific Safety Precautions for Use

- When zeroing your rifle, follow these recommendations:
 - Use a 0 MOA mount if shooting at distances of 0500 yards.
 - Use a 20 MOA mount if shooting at distances of 5001000 yards.
 - For a 20 MOA mount, EGW recommends zeroing at 200 yards.
- When mounting your scope, ensure that the scope rings are properly tightened to avoid slippage during use.
- Always use appropriate safety gear, including eye protection, when handling firearms.
- Follow all local laws and regulations regarding firearm usage.

Instructions for Installation and Usage

1. Gather the necessary tools:

- Torque wrench
- Blue Loctite (sold separately)
- Allen wrench (included with the mount)

2. Installation Steps:

- Ensure your rifle is unloaded and pointed in a safe direction.
- Remove any existing scope mounts or accessories from your rifle.
- Align the Picatinny base with the ejection port opening of your rifle, ensuring it fits securely.
- Use the included mounting screws to attach the base to the rifle.
- Apply 20 inch lbs of torque to the screws using the torque wrench.
- Apply a drop of blue Loctite to each screw for added security (allow it to cure as per manufacturer instructions).
- Attach your scope rings to the Picatinny base and secure your scope in the rings.

3. PostInstallation:

- After installation, doublecheck all screws for tightness before use.
- Perform a function check to ensure that the mount and scope are securely attached.

Disposal Instructions

- Dispose of the product in accordance with local regulations for electronic and metal waste.
- Do not dispose of the mount in regular household waste.
- Consider recycling options available in your area.

Contact Information for Further Support

For any questions or concerns regarding the CZ 557 Short Action HD Picatinny Scope Mount, please refer to the manufacturer's website or contact their customer support directly.

By following these guidelines, you can ensure the safe and effective use of your CZ 557 Short Action HD Picatinny Scope Mount. Thank you for your attention to safety and proper use.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk