

# SEMI AUTO GRIP SCREWS - HOGUE SLOTTED GRIP SCREWS, BLUE, FITS BERETTA/TAURUS

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

## Factory Replacement Screws For Popular Semi-Autos

Blue and stainless steel slot head replacement screws maintain factory appearance. Hex head gives grips a neat, clean look, prevents burred slots.



## Attributes

- Name: [HOGUE SLOTTED GRIP SCREWS, BLUE, FITS BERETTA/TAURUS](#)
- Manufacturer: [HOGUE](#)
- Product no.: 408010092
- Mfr. No.: 92008
- Weapon type: Beretta, Taurus
- Quantity: 4
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 743108920084

# Table of Contents

- Startpage
- Safety Instruction Guide for SEMI AUTO GRIP SCREWS HOGUE SLOTTED GRIP SCREWS
- About Us

# Safety Instruction Guide for SEMI AUTO GRIP SCREWS HOGUE SLOTTED GRIP SCREWS

## Introduction

Thank you for choosing the SEMI AUTO GRIP SCREWS HOGUE SLOTTED GRIP SCREWS. These highquality replacement screws are designed to maintain the factory appearance of your grips while ensuring a neat and clean look. This guide provides essential safety instructions to ensure safe use and installation. Please read this document carefully before use.

## General Safety Guidelines

- Ensure that the product is used according to the manufacturer's instructions.
- Inspect the screws for any defects before installation. Do not use damaged screws.
- Keep the screws out of reach of children to prevent accidental injury.
- Store the screws in a dry, cool place to avoid corrosion.
- Report any unsafe products or accidents to the relevant authorities.

## Specific Safety Precautions for Use

- Always wear safety goggles when installing or removing screws to protect your eyes from debris.
- Use the appropriate tools for installation to avoid stripping the screw heads.
- Do not overtighten the screws, as this may damage the grip or the screws themselves.
- Ensure that the screws are compatible with your specific firearm model (Beretta or Taurus).
- If you experience any difficulty during installation, consult a professional for assistance.

## Instructions for Installation and Usage

### 1. Preparation:

- Gather necessary tools: a hex wrench and safety goggles.
- Ensure that the work area is clean and welllit.

### 2. Installation:

- Remove the existing screws from the grip using the hex wrench.
- Inspect the grip for any damage or debris before installing new screws.
- Align the new screws with the holes in the grip.
- Insert the screws and tighten them gently using the hex wrench until snug. Avoid overtightening.

### 3. Usage:

- After installation, check that the screws are secure before using the firearm.
- Regularly inspect the screws for tightness and any signs of wear or damage.

### 4. PostInstallation Care:

- Clean the area around the screws to prevent buildup of dirt or moisture.
- Store any unused screws in a safe location.

## Disposal Instructions

- Dispose of any damaged screws in accordance with local regulations.

- Do not throw screws in regular household waste. Check for recycling options in your area.

## **Contact Information for Further Support**

For any inquiries regarding the safety and use of SEMI AUTO GRIP SCREWS, please contact the manufacturer or your local distributor. Ensure you have the product details ready when seeking assistance.

Thank you for your attention to these safety guidelines. Your safety is our priority.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)