

# SEMI AUTO GRIP SCREWS - HOGUE HEX GRIP SCREWS, BLUE, FITS SIG P226,P228,P229

[Handgun Parts](#) > [Grip Parts](#) > [Grip Screws](#)

## Factory Replacement Screws For Popular Semi-Autos

Blue and stainless steel slot head replacement screws maintain factory appearance. Hex head gives grips a neat, clean look, prevents burred slots.



## Attributes

- Name: [HOGUE HEX GRIP SCREWS, BLUE, FITS SIG P226,P228,P229](#)
- Manufacturer: [HOGUE](#)
- Product no.: 408010228
- Mfr. No.: 26009
- Model: P226,P228,P229
- Weapon type: Sig Sauer
- Quantity: 4
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 89mm
- UPC: 743108260098

# Table of Contents

- Startpage
- Safety Instruction Guide for SEMI AUTO GRIP SCREWS HOGUE HEX GRIP SCREWS
- About Us

# Safety Instruction Guide for SEMI AUTO GRIP SCREWS HOGUE HEX GRIP SCREWS

## Introduction

Thank you for choosing the SEMI AUTO GRIP SCREWS HOGUE HEX GRIP SCREWS. These screws are designed to enhance the appearance and functionality of your firearm grips. This guide provides important safety information and instructions for the proper use and maintenance of the product to ensure your safety and satisfaction.

## General Safety Guidelines

- Always handle the screws with care to avoid injury.
- Keep the screws out of reach of children and pets.
- Inspect the screws for any damage before installation.
- Follow all local laws and regulations regarding firearm modifications.
- Ensure that your firearm is unloaded before performing any modifications.

## Specific Safety Precautions for Use

- Use only the provided screws for your specific firearm models (Sig P226, P228, P229).
- Ensure that the screws are properly tightened to avoid loosening during use.
- Do not attempt to modify or alter the screws in any way.
- If you experience any issues with the screws, discontinue use immediately and seek assistance.

## Instructions for Installation and Usage

### 1. Preparation

- Gather all necessary tools, including a hex wrench compatible with the screw head.
- Ensure your firearm is unloaded and in a safe working environment.

### 2. Installation Steps

- Remove the existing screws from your firearm grips using the hex wrench.
- Align the new HOGUE HEX GRIP SCREWS with the grip holes.
- Insert the screws and handtighten them to ensure they are properly seated.
- Use the hex wrench to securely tighten the screws, but do not overtighten as this may damage the grip.

### 3. PostInstallation Check

- After installation, check that all screws are secure and that the grips are firmly attached to the firearm.
- Test the grip to ensure it is stable and comfortable before use.

## Disposal Instructions

- Dispose of any old screws responsibly, following local waste disposal regulations.
- Do not dispose of screws in a manner that may pose a risk to the environment or public safety.

## **Contact Information for Further Support**

For any inquiries regarding safety or product issues, please contact the manufacturer or your local dealer. Ensure you have the product details and any relevant information ready when seeking assistance.

By following these guidelines and instructions, you can ensure the safe and effective use of your SEMI AUTO GRIP SCREWS HOGUE HEX GRIP SCREWS. Thank you for your attention to safety and for choosing our product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)