

# 1A2-LM BIPOD - HARRIS 1A2-LM BIPOD 9-13" BLACK

[Shooting Accessories](#) > [Bipods, Monopods & Accessories](#) > [Bipods](#)

Mounts to QD swivel studs on bolt action and single-shot rifles for ultimate field accuracy. Won't change zero; added weight steadies gun. Spring-loaded, telescoping legs adjust quickly, fold parallel to barrel for carrying. Series 1A2 bipods have solid base and do not swivel or rotate. Series S bipods rotate 45° for instant leveling on uneven ground. Buffer springs and adjustable tension on hinged base help eliminate tremor. All Models available in either Series. All Adapters fit either Series bipods. Not recommended for lever actions.



## Attributes

- Name: [HARRIS 1A2-LM BIPOD 9-13" BLACK](#)
- Manufacturer: [HARRIS](#)
- Product no.: 416002123
- Mfr. No.: 1A2-LM
- Colour: Black
- Feet Material: Rubber
- Folding: Yes
- Height: 9 to 13
- Style: Cant Swivel
- Delivery weight: 0.318kg
- Shipping height: 43mm
- Shipping width: 71mm
- Shipping length: 236mm
- UPC: 051156012119

## Item details

Made in USA

# Table of Contents

- Startpage
- 1A2LM BIPOD HARRIS Safety Instruction Guide
- About Us

# 1A2LM BIPOD HARRIS Safety Instruction Guide

## Introduction

Thank you for choosing the 1A2LM BIPOD HARRIS. This guide provides essential safety instructions and usage information to ensure your product is used safely and effectively. Please read this guide carefully before using the bipod.

## General Safety Guidelines

- Ensure that the bipod is compatible with your rifle before use.
- Always check the bipod for damage or wear before each use.
- Use the bipod only for its intended purpose, which is to stabilize bolt action and singleshot rifles.
- Keep this product out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the relevant authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Do not use the bipod on lever action rifles, as it is not recommended for this type of firearm.
- Ensure that the bipod is securely mounted to the QD swivel studs before use.
- Avoid placing excessive weight on the bipod, as this may cause instability.
- Be cautious when adjusting the height of the bipod to prevent pinching or injury.
- Always ensure that the bipod is fully extended and locked in place before using it to stabilize your rifle.

## Instructions for Installation and Usage

### Installation

#### 1. Mounting the Bipod:

- Locate the QD swivel studs on your rifle.
- Align the bipod's mounting mechanism with the swivel stud.
- Securely attach the bipod by tightening the mounting mechanism until it is firmly in place.

### Height Adjustment

#### 1. Adjusting the Legs:

- Press the springloaded release buttons on each leg.
- Extend or retract the legs to the desired height (9 to 13 inches).
- Release the buttons to lock the legs in place.

### Folding for Carrying

#### 1. Folding the Bipod:

- Press the release buttons on both legs.
- Fold the legs parallel to the barrel of the rifle for easy carrying.

## Disposal Instructions

- Dispose of the bipod in accordance with local regulations for electronic and metal waste.
- Do not dispose of the bipod in regular household waste.

## **Contact Information for Further Support**

For any questions or concerns regarding the safety and usage of the 1A2LM BIPOD HARRIS, please consult the manufacturer's customer service or your local retailer for assistance.

Thank you for ensuring your safety and the safety of others while using the 1A2LM BIPOD HARRIS. Enjoy your shooting experience!

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)