

458 CALIBER (0.458") XTREME DEFENSE FTM LEAD-FREE BULLETS - LEHIGH DEFENSE 458 CAL (0.458") 250GR XTREME DEFENSE LEAD-FREE BULLET 50/BX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

The advanced technology Xtreme Defense Fluid Transfer Monolithic (XD FTM) is changing the way self-defense bullets are perceived. Like the Xtreme Penetrator, the progressive nose geometry allows for deep, straight penetration while creating a permanent wound cavity diameter exceeding that of most expanding bullets. Additionally, the bullet is solid copper, able to overcome barriers to penetration, is environmentally friendly and does massive tissue damage on impact. Penetrating barriers such as drywall or heavy clothing prior to impacting the intended target doesn't have the potentially negative effect on the Xtreme Defense that it does to conventional hollow point bullets. The nose design is the key. The Fluid Transfer's radial flutes force the hydraulic energy inward and then as the energy is restricted, it accelerates outward creating high pressure spikes severely damaging surrounding tissue. This very rapid increase in fluid flow creates cavitation and massive tissue damage away from the projectile equivalent to those of the best hollow points on the market. The result of the Xtreme Defense is a permanent wound cavity that is two to four times greater than what a flat or round nose bullet generates and often larger than traditional or solid copper expanding bullets. What you get is a self-defense bullet that will shoot through barriers without deformation or trajectory



Attributes

- Name: [LEHIGH DEFENSE 458 CAL \(0.458"\) 250GR XTREME DEFENSE LEAD-FREE BULLET 50/BX](#)
- Manufacturer: [LEHIGH DEFENSE](#)
- Product no.: 430100235
- Mfr. No.: 09458250SP
- Ballistic Coefficient (G1): 0.194
- Brand Style: Xtreme Defender
- Bullet Style: Fluid Transfer Monolithic (FTM)
- Caliber: 458 Caliber
- Diameter (Breech): 0.458
- Diameter (in): 0.458
- Grain: 250
- Sectional Density: 0.170
- Quantity: 50
- Delivery weight: 0.862kg
- Shipping height: 57mm
- Shipping width: 64mm
- Shipping length: 83mm
- UPC: 810025508289

Item details

Made in USA
US export classification: 0A505.x

Table of Contents

- Startpage
- Safety Instruction Guide for 458 Caliber (0.458") Xtreme Defense FTM LeadFree Bullets
- About Us

Safety Instruction Guide for 458 Caliber (0.458") Xtreme Defense FTM LeadFree Bullets

Introduction

Thank you for choosing the 458 Caliber (0.458") Xtreme Defense FTM LeadFree Bullets by Lehigh Defense. This guide provides essential safety information to ensure the safe use of this product. Please read this document carefully before handling or using the bullets.

General Safety Guidelines

- **Product Safety:** Ensure the safe use of the bullets by following all instructions and safety precautions outlined in this guide.
- **Enhanced Recalls:** Be aware that if a safety issue arises, standardized recall notices will be issued, and remedies will be provided at no cost.
- **Online Shopping:** If purchased online, the same safety protections apply as those in physical stores.
- **Special Consumer Focus:** Extra care should be taken to keep these bullets out of the reach of children and vulnerable individuals.
- **EU Contact Point:** For any safety inquiries, please refer to the designated EU contact point.
- **Rapid Alerts:** Stay informed about any updates on product safety through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - These bullets are designed for selfdefense and should only be used in accordance with applicable laws and regulations.
 - Improper use can lead to serious injury or death. Always handle with care.
- **Avoiding Hazards:**
 - Always treat every bullet as if it is loaded.
 - Never point the firearm at anything you do not intend to shoot.
 - Store bullets in a secure location, away from children and unauthorized users.
- **Age Restrictions:**
 - This product is intended for use by individuals who are legally permitted to own and use ammunition. Check local laws for age restrictions.

Instructions for Installation and Usage

- **Installation:**
 - Ensure your firearm is compatible with 458 Caliber (0.458") ammunition.
 - Inspect the firearm to ensure it is in good working condition before use.
- **Usage:**
 - Load the bullets into the magazine or chamber according to the firearm manufacturer's instructions.
 - Always wear appropriate eye and ear protection when firing.
 - Check your surroundings to ensure a safe shooting environment.
 - Fire only at intended targets and ensure a safe backstop is present.

Disposal Instructions

- **Disposal of Unused Bullets:**
 - Do not dispose of bullets in regular household waste.
 - Contact local authorities or a hazardous waste disposal facility for proper disposal methods.
- **Environmental Considerations:**

- These bullets are leadfree, making them a more environmentally friendly option. However, proper disposal is still essential to protect the environment.

Contact Information for Further Support

For any questions or concerns regarding the 458 Caliber (0.458") Xtreme Defense FTM LeadFree Bullets, please refer to the designated EU contact point for safety inquiries.

By following these guidelines, you can ensure a safe and responsible experience with your 458 Caliber (0.458") Xtreme Defense FTM LeadFree Bullets. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk