

XTREME PENETRATOR 452 CALIBER (0.452") BULLETS - LEHIGH DEFENSE 452 CALIBER (0.452") 250GR FLUID TRANSFER MONOLITHIC 50/BOX

[Reloading](#) > [Bullets](#) > [Pistol Bullets](#)

The Xtreme Penetrator Fluid Transfer Monolithic (XP FTM) product line, for both handgun and rifles, has a progressive nose geometry allowing for deep, straight penetration while creating a permanent wound cavity diameter exceeding that of most expanding bullets. To top it off, the bullet is solid copper and is able to overcome barriers to penetration, is environmentally friendly and VERY target unfriendly. Penetrating barriers such as drywall or heavy clothing prior to impacting the intended target doesn't have the potentially negative effect on the Xtreme Defense that it does to conventional hollow point bullets. The magic happens with the nose design where the Fluid Transfer's radial flutes force the hydraulic energy inward and then as the energy is restricted, it accelerates outward creating high pressure spikes severely damaging surrounding tissue. This very rapid increase in fluid flow creates cavitation and massive tissue damage away from the projectile equivalent to those of the best hollow points on the market. This results in a permanent wound cavity that is two to four times greater than what a flat or round nose bullet generates and often larger than traditional or solid copper expanding bullets. What you get is a hunting or special application self defense bullet that creates a larger permanent wound cavity coupled with exceptionally deep penetration. SPECIFICATIONS: Cartridge: 45 Colt, 454 Casull, 460 S&W Best Used For: Hunting Notes: FTM - Fluid Transfer Monolithic Ballistic Coefficient (G1): 0.206 Box Quantity: 50 Bullet Material: Copper Bullet Caliber: .452 Bullet Length: .840 Minimum Impact Velocity (fps): 750 Maximum Muzzle Velocity (fps): 5000 Bullet Technology: Xtreme Penetrator Bullet Weight (gr): 250.00 Velocity Sensitivity: No Gun Type: Handgun Lead Free Bullet: Yes Ogive Length (inches): 0.279 Patent: US 9,829,293;US D748,220;US 62/448,731;US 10,345,085 Sectional Density: .175



Attributes

- Name: [LEHIGH DEFENSE 452 CALIBER \(0.452"\) 250GR FLUID TRANSFER MONOLITHIC 50/BOX](#)
- Manufacturer: [LEHIGH DEFENSE](#)
- Product no.: 430101372
- Mfr. No.: 07452250SP
- Bullet Style: Fluid Transfer Monolithic (FTM)
- Caliber: 452 Caliber
- Diameter (in): 0.452
- Grain: 250
- Quantity: 50
- Delivery weight: 0.81kg
- Shipping height: 64mm
- Shipping width: 64mm
- Shipping length: 76mm
- UPC: 810025507695

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- [Startpage](#)
- [XTREME PENETRATOR 452 CALIBER SAFETY INSTRUCTIONS](#)
- [About Us](#)

XTREME PENETRATOR 452 CALIBER SAFETY INSTRUCTIONS

Introduction

Thank you for choosing the Xtreme Penetrator 452 Caliber (0.452") Bullets by Lehigh Defense. This product is designed for use in handguns and rifles, providing exceptional performance for hunting and selfdefense applications. Please read this safety instruction guide carefully to ensure safe and effective use of this product.

General Safety Guidelines

- **Product Safety:** Always ensure safe handling and usage of the bullets. Follow all safety instructions to minimize risks.
- **Enhanced Recalls:** Stay informed about any recalls or safety notices related to this product. Free remedies will be provided for any identified dangerous products.
- **Online Shopping:** If purchased online, ensure that the seller meets all safety requirements as per EU regulations.
- **Special Consumer Focus:** This product is not intended for use by children. Keep out of reach of minors.
- **EU Contact Point:** For safety inquiries, refer to the designated EU contact points provided by the manufacturer.
- **Rapid Alerts:** Be aware of updates regarding unsafe products through the EU's Safety Gate system.

Specific Safety Precautions for Use

- **Age Restriction:** This product is intended for adult use only. Ensure that users are of legal age to handle ammunition.
- **Protective Gear:** Wear appropriate safety gear, including eye and ear protection, when using firearms.
- **Handling:** Always treat the bullets as if they are loaded. Keep the firearm pointed in a safe direction at all times.
- **Storage:** Store bullets in a cool, dry place, away from direct sunlight and moisture. Keep in the original packaging when not in use.
- **Transportation:** Transport bullets in a secure container to prevent accidental discharge.

Instructions for Installation and Usage

1. **Compatibility Check:** Ensure that the bullets are compatible with your firearm (e.g., 45 Colt, 454 Casull, 460 S&W).
2. **Loading:** Follow the firearm manufacturer's instructions for loading ammunition into the firearm.
3. **Sighting:** Before firing, ensure the firearm is properly sighted for accuracy.
4. **Firing:**
 - Stand at a safe distance from others.
 - Ensure that your target is clear and that there is a proper backstop.
 - Fire the bullet only in a controlled environment, such as a shooting range.
5. **PostFiring:** After use, clean the firearm according to the manufacturer's instructions to maintain performance and safety.

Disposal Instructions

- Dispose of any unused or expired bullets in accordance with local regulations regarding hazardous waste.
- Do not throw bullets in regular trash. Contact local authorities for proper disposal methods.

Contact Information for Further Support

For questions or concerns regarding the Xtreme Penetrator 452 Caliber (0.452") Bullets, please refer to the manufacturer's contact information provided on the packaging or their official website.

By following these safety guidelines and instructions, you can ensure a safe and enjoyable experience with your Xtreme Penetrator bullets. Thank you for your attention to safety!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk