

# AKRK MINI PICATINNY MOUNT - RS REGULATE MINI PICATINNY MODULAR UPPER OPTIC MOUNT

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Rifle Bases](#)

For small footprint picatinny mount optics Compatible with: Bushnell TRS-25  
Picatinny Fixed base micro 1913 Red Dot



## Attributes

- Name: [RS REGULATE MINI PICATINNY MODULAR UPPER OPTIC MOUNT](#)
- Manufacturer: [RS REGULATE](#)
- Product no.: 430103436
- Mfr. No.: AKRK
- Colour: Black
- Elevation: 0 MOA
- Material: Aluminum
- Number of Bases: 1-Piece
- Style: Mini
- Delivery weight: 0.085kg
- Shipping height: 36mm
- Shipping width: 121mm
- Shipping length: 84mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for AKRK MINI PICATINNY MOUNT RS REGULATE
- About Us

# Safety Instruction Guide for AKRK MINI PICATINNY MOUNT RS REGULATE

## Introduction

Thank you for choosing the AKRK MINI PICATINNY MOUNT from RS REGULATE. This product is designed for mounting small footprint optics on a Picatinny rail, specifically compatible with the Bushnell TRS25 micro red dot sight. To ensure safe and effective use, please read this safety instruction guide thoroughly before installation and usage.

## General Safety Guidelines

- Always ensure that the mount is compatible with your specific optic and firearm before installation.
- Inspect the mount for any signs of damage or wear before each use.
- Keep the mount and all components out of reach of children and unauthorized users.
- Follow all local laws and regulations regarding firearm accessories.
- Use the mount only for its intended purpose as specified by the manufacturer.
- Report any unsafe products or incidents to the appropriate authorities.

## Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installing or removing the mount.
- Use caution when handling tools during installation to avoid injury.
- Do not exceed the manufacturer's specified weight limit for optics mounted on this product.
- Regularly check the tightness of the mount after installation, especially after shooting sessions.
- Avoid using the mount in extreme conditions (e.g., excessive heat, cold, or moisture) that may affect its performance.
- Be aware of your surroundings and ensure a safe shooting environment when using firearms with mounted optics.

## Instructions for Installation and Usage

### 1. Installation Steps:

- Ensure that the firearm is completely unloaded.
- Select the appropriate Picatinny rail section for the mount.
- Align the mount with the rail and slide it into position.
- Use the provided screws to secure the mount firmly to the rail. Ensure they are tightened to the manufacturer's specifications.
- Doublecheck the alignment and stability of the mount before proceeding.

### 2. Usage Instructions:

- After installation, attach your optic according to the optic's specific mounting instructions.
- Confirm that the optic is securely fastened to the mount.
- Test the setup at a safe shooting range to ensure proper functionality and accuracy.
- Make any necessary adjustments to the optic for optimal performance.

## Disposal Instructions

- Dispose of the product in accordance with local regulations.
- If the mount is damaged or no longer usable, do not throw it in regular waste. Instead, consider recycling options or returning it to the manufacturer for proper disposal.

## **Contact Information for Further Support**

For any questions or concerns regarding the AKRK MINI PICATINNY MOUNT, please refer to the manufacturer's contact information provided on the packaging or product documentation.

By following these safety instructions, you can ensure a safe and enjoyable experience with your AKRK MINI PICATINNY MOUNT. Thank you for your attention to safety and for choosing our product.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)