

P320 OPTIC PLATFORM- COMMERCIAL M17/M18, SIG P320 X5 LEGION - FORWARD CONTROLS DESIGN P320 OPTIC PLATFORM - COMMERCIAL M17/M18, SIG P320 X5 LEGION

[Optics & Mounting](#) > [Electronic Sights](#) > [Mounting Hardware](#)

Machined in 4140 steel and melonite coated, OPF-P320, RMR, RSD is a new member of our OPF (Optics Platform, Forward Controls) line. OPF-P320, RMR, RSD is a drop in adapter for superb Trijicon RMR sights. OPF-P320, RMR is shipped with two 4-40x3/16 Allen screws (plate to slide), a 3/32 Allen key, two T10 5-32x3/8 screws (sight to plate) and a packet of VC-3. Torque values: Plate to slide: 6 in·lb; Sight to plate: 12 in·lb Billet machined in 4140, Melonite coated. OPF-P320, RMR, RSD is a Forward Controls Design and Tangodown collaboration. Proudly designed and made in the USA. NOTE: OPF-P320, RMR, RSD was designed and made for Trijicon's RMR, though Holosun 507c, 508T and 509T (with the adapter plate it comes with) also work on it. Forward Controls Design do not guarantee fit and function for these sights on OPF-P320, RMR, RSD.



Attributes

- Name: [FORWARD CONTROLS DESIGN P320 OPTIC PLATFORM - COMMERCIAL M17/M18, SIG P320 X5 LEGION](#)
- Manufacturer: [FORWARD CONTROLS DESIGN](#)
- Product no.: 430103597
- Mfr. No.: OPF-P320, RMR,
- Colour: Black
- Fits / Used For: Trijicon RMR
- Height: 0.2"
- Model: P320 M17
- Weapon type: Sig Sauer
- Weight: 1.3 lbs
- Delivery weight: 0.907kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 140mm
- UPC: 687408648678

Item details

Made in USA

Table of Contents

- Startpage
- P320 OPTIC PLATFORM COMMERCIAL M17/M18, SIG P320 X5 LEGION Safety Instruction Guide
- About Us

P320 OPTIC PLATFORM COMMERCIAL M17/M18, SIG P320 X5 LEGION Safety Instruction Guide

Introduction

Thank you for choosing the P320 OPTIC PLATFORM COMMERCIAL M17/M18, SIG P320 X5 LEGION. This guide provides essential safety instructions to ensure the safe use of this product. Please read this document carefully before installation and usage.

General Safety Guidelines

- Product Safety: This product has been designed to ensure safe use when installed and operated according to the instructions provided.
- Enhanced Recalls: In the unlikely event of a product recall, standardized notices will be issued, and remedies will be provided at no cost.
- Online Shopping: This product is subject to the same safety standards as those available in physical stores.
- Special Consumer Focus: Extra precautions are in place for vulnerable groups, including children. Keep this product out of reach of children.
- EU Contact Point: For any safety inquiries, please refer to the designated EU contact point.
- Rapid Alerts: Stay informed about product safety updates through the EU Safety Gate system.

Specific Safety Precautions for Use

- Always ensure that the P320 OPTIC PLATFORM is securely attached to the firearm before use.
- Check for any visible damage or defects before installation. Do not use if any parts are damaged.
- Ensure that the adapter is compatible with the specific Trijicon RMR sights as indicated.
- Use only the screws and tools provided in the package for installation.
- Do not exceed the recommended torque values:
 - Plate to slide: 6 in·lb
 - Sight to plate: 12 in·lb
- Regularly inspect the installation to ensure that all components remain secure.
- If you experience any issues with fit or function, discontinue use immediately and seek assistance.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools: two 440x3/16 Allen screws, a 3/32 Allen key, and two T10 532x3/8 screws.
- Ensure you are working in a clean, welllit area.

2. Installation Steps:

- Remove the existing sight from your firearm.
- Align the OPFP320, RMR, RSD adapter with the slide of your firearm.
- Secure the adapter to the slide using the two 440x3/16 Allen screws. Tighten to a torque value of 6 in·lb.
- Attach the Trijicon RMR sight to the adapter using the two T10 532x3/8 screws. Tighten to a torque value of 12 in·lb.
- Ensure that all screws are tightly secured and that the sight is properly aligned.

3. Usage:

- Always handle the firearm in a safe manner, following general firearm safety rules.
- Regularly check the sight for proper function and alignment during use.

Disposal Instructions

- Dispose of packaging materials in accordance with local waste disposal regulations.
- When disposing of the product, ensure it is done in an environmentally responsible manner. Consider recycling where possible.

Contact Information for Further Support

For further assistance or inquiries regarding safety, please refer to the product packaging for the designated EU contact point.

By following these guidelines, you can ensure the safe and effective use of the P320 OPTIC PLATFORM COMMERCIAL M17/M18, SIG P320 X5 LEGION. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk