

HIGH STRENGTH #620 GREEN SLEEVE RETAINER - LOCTITE #620

HIGH STRENGTH GREEN SLEEVE RETAINER 0.34 FL OZ

[Gunsmith Tools](#) > [General Gunsmith Tools](#) > [Thread Locking Liquids](#)

Secures Press-Fit Assemblies

Works great for the permanent anchoring of studs, pins, and sleeves. Gives a positive seal; resists lubricants, solvents, etc. Hardens in four hours, full strength in ten. 3000 psi



Attributes

- Name: [LOCTITE #620 HIGH STRENGTH GREEN SLEEVE RETAINER 0.34 FL OZ](#)
- Manufacturer: [LOCTITE](#)
- Product no.: 532640006
- Mfr. No.: 234772
- Colour: Green
- Size: .34 oz
- Delivery weight: 0.014kg
- Shipping height: 25mm
- Shipping width: 38mm
- Shipping length: 91mm

Item details

Made in USA

Table of Contents

- Startpage
- HIGH STRENGTH #620 GREEN SLEEVE RETAINER Safety Instructions
- About Us

HIGH STRENGTH #620 GREEN SLEEVE RETAINER

Safety Instructions

Introduction

Thank you for choosing the HIGH STRENGTH #620 GREEN SLEEVE RETAINER by LOCTITE. This product is designed for the permanent anchoring of studs, pins, and sleeves. Please read this safety instruction guide carefully to ensure safe and effective use.

General Safety Guidelines

- Ensure safe use of this product by following all instructions.
- Be aware of potential hazards associated with the use of adhesives.
- Keep out of reach of children and vulnerable individuals.
- Always check for recall updates on the EU's Safety Gate platform.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Avoid contact with skin and eyes. In case of contact, rinse immediately with plenty of water.
- Use in a wellventilated area to minimize inhalation of fumes.
- Do not ingest. If swallowed, seek medical attention immediately.
- Store in a cool, dry place away from direct sunlight and heat sources.
- Do not mix with other chemicals unless specified in the instructions.

Instructions for Installation and Usage

1. Preparation:

- Ensure the surfaces to be bonded are clean, dry, and free from grease or dust.
- Use a suitable solvent to clean the surfaces if necessary.

2. Application:

- Shake the bottle well before use.
- Apply a thin, even layer of the adhesive to one of the surfaces to be bonded.
- Press the surfaces together firmly.

3. Curing:

- Allow the adhesive to harden for at least four hours for initial set.
- Full strength is achieved in approximately ten hours.

4. PostApplication:

- Do not disturb the bonded surfaces during the curing process.
- After curing, check the bond strength before subjecting the assembly to stress.

Disposal Instructions

- Dispose of any unused product in accordance with local regulations.
- Do not pour down drains or dispose of in household waste.
- Empty containers should be recycled or disposed of as per local guidelines.

Contact Information for Further Support

For any questions or concerns regarding the use of this product, please refer to the manufacturer's contact information provided on the packaging or product insert.

By following these safety instructions, you can ensure a safe and effective experience with the HIGH STRENGTH #620 GREEN SLEEVE RETAINER. Thank you for your attention to these important safety guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk