

THROAT EROSION GAUGE - MERCHANT .30-06 M1 GARAND THROAT GAUGE STEEL

[Gunsmith Tools](#) > [Measuring Tools](#) > [Barrel Throat Erosion Gauges](#)

Instant Read-Out Checks Throat Wear

MERCHANT THROAT EROSION GAUGE The Merchant Throat Erosion Gauge is an essential tool for match shooters and varmint hunters, providing a quick and accurate indication of barrel and throat wear. Regular use every 1,000 rounds offers a comparative reading of throat erosion, helping determine the remaining barrel life. Models are available for rifles chambered in .223, .30 M1 Carbine, and .30-06 M1 Garand. Notably, the Garand gauge is calibrated to measure bore erosion at the muzzle as well. Key Features: Regular Monitoring: Use every 1,000 rounds to obtain comparative readings of throat erosion, aiding in maintenance scheduling. Multiple Caliber Compatibility: Available for .223 (also fits .222 and .22-250), .30 M1 Carbine, and .30-06 M1 Garand. Dual Functionality: The Garand gauge also measures bore erosion at the muzzle, providing comprehensive barrel wear assessment. Specifications: Material: Steel Length: .223: 3½" (8.9 cm) .30 M1 Carbine: 2-1/16" (5.2 cm) Instructions: Includes complete instructions for use. Customer Insights: Our customers highly value the Merchant Throat Erosion Gauge for its precision and ease of use. The ability to monitor throat and bore erosion effectively allows shooters to maintain optimal firearm performance and plan for necessary maintenance or barrel replacement. The inclusion of detailed instructions ensures that even those new to barrel wear assessment can utilize the tool confidently. Incorporating the Merchant Throat Erosion Gauge into your firearm maintenance routine enables proactive monitoring of barrel health, ensuring safety and accuracy in your shooting activities.



Attributes

- Name: [MERCHANT .30-06 M1 GARAND THROAT GAUGE STEEL](#)
- Manufacturer: [MERCHANT](#)
- Product no.: 565000009
- Mfr. No.: NONE
- Caliber: 30 Caliber (.308)
- Colour: Steel
- Firearm Style: Rifle
- Length: 2.05"
- Make: -
- Material: Steel
- Model: -
- Model Number: .30-06 M1 Garand
- Delivery weight: 0.064kg
- Shipping height: 10mm
- Shipping width: 74mm
- Shipping length: 145mm

Item details

Made in USA

Table of Contents

- Startpage
- THROAT EROSION GAUGE MERCHANT Safety Instructions
- About Us

THROAT EROSION GAUGE MERCHANT Safety Instructions

Introduction

Thank you for choosing the THROAT EROSION GAUGE MERCHANT .3006 M1 GARAND THROAT GAUGE STEEL. This product is designed to provide a quick and accurate indication of barrel and throat wear for your firearm. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the gauge is used in a safe environment, free from distractions.
- Always handle the gauge with care to avoid injury.
- Store the gauge in a safe place, out of reach of children and vulnerable individuals.
- Regularly inspect the gauge for any signs of damage or wear before each use.
- Be aware of your surroundings when using the gauge to avoid accidents.

Specific Safety Precautions for Use

- Do not use the gauge on firearms that are loaded. Always ensure the firearm is unloaded before measuring.
- Follow the manufacturer's instructions for measuring throat erosion to ensure accurate readings.
- Avoid applying excessive force when inserting the gauge into the barrel to prevent damage.
- If the gauge does not fit easily, do not force it. Check for obstructions in the barrel.
- Keep the gauge clean and free from debris to maintain its accuracy and longevity.
- Do not use the gauge for any purpose other than its intended use as specified in the product documentation.

Instructions for Installation and Usage

1. Preparation:

- Ensure the firearm is completely unloaded.
- Gather all necessary tools and materials, including the THROAT EROSION GAUGE and cleaning supplies.

2. Measuring Throat Erosion:

- Insert the gauge into the chamber of the firearm until it reaches the throat.
- Take note of the reading on the gauge. This will indicate the level of throat erosion.
- For best results, measure every 1,000 rounds to track changes in throat erosion over time.

3. Measuring Bore Erosion:

- Flip the gauge to the calibrated end designed for measuring bore erosion at the muzzle.
- Insert the gauge into the muzzle and take note of the reading.

4. PostUsage:

- After use, clean the gauge with a soft cloth to remove any residue.
- Store the gauge in a protective case or designated storage area.

Disposal Instructions

- Dispose of the gauge responsibly at a local recycling facility or as per local regulations.
- Do not dispose of the gauge in regular household waste.
- Ensure that the gauge is completely nonfunctional before disposal to prevent misuse.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please refer to the manufacturer's contact details provided with your purchase. Always seek assistance if you have any concerns about the safe use of this product.

By following these safety instructions, you can ensure the safe and effective use of the THROAT EROSION GAUGE MERCHANT .3006 M1 GARAND THROAT GAUGE STEEL. Thank you for prioritizing safety and compliance with the EU General Product Safety Regulation.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk