

1911 FRONT WHITE DOT DOVETAIL SIGHTS - NOVAK GOVT, WHITE, .215" HEIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

CNC machined, steel, dovetail front sight won't snag on your holster during presentation. Available with a big, .075" dot for fast sight recognition.

Requires use of a 65° x.330" dovetail cutter to cut the proper Novak dovetail; roll pin inserts in front to stake sight in place.



Attributes

- Name: [NOVAK GOVT, WHITE, .215" HEIGHT](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662000018
- Mfr. No.: DFS02-4.215
- Colour: White
- Height: .215
- Model: Government
- Outline: None
- Style: White Dot
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.023kg
- Shipping width: 57mm
- Shipping length: 89mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for 1911 FRONT WHITE DOT DOVETAIL SIGHTS NOVAK GOVT
- About Us

Safety Instruction Guide for 1911 FRONT WHITE DOT DOVETAIL SIGHTS NOVAK GOVT

Introduction

Thank you for choosing the 1911 Front White Dot Dovetail Sights by Novak. This guide provides essential safety instructions to ensure the safe use and installation of your product. Please read this document carefully before use and installation.

General Safety Guidelines

- Always ensure that the firearm is unloaded before installing or adjusting the sights.
- Keep this product out of reach of children and unauthorized users.
- Inspect the sight for any damage before installation. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and accessories.
- If you are unsure about installation or use, consult a qualified gunsmith.

Specific Safety Precautions for Use

- The front sight is designed for use with 1911 Government models only. Ensure compatibility before use.
- Avoid using excessive force during installation to prevent damage to the sight or firearm.
- Be cautious of sharp edges on the sight during handling.
- Regularly check the sight for stability and secure placement, especially after use.

Instructions for Installation and Usage

1. Preparation

- Gather the necessary tools: a 65° x .330" dovetail cutter, roll pin punch, and hammer.
- Ensure you have a clean and welllit workspace.

2. Installation Process

- **Step 1:** Confirm that your firearm is unloaded.
- **Step 2:** Using the dovetail cutter, create the proper Novak dovetail slot on the slide of your firearm.
- **Step 3:** Insert the front sight into the dovetail slot.
- **Step 4:** Use the roll pin punch and hammer to insert the roll pin into the front of the sight to secure it in place.
- **Step 5:** Check that the sight is firmly in place and does not move.

3. Usage Instructions

- Align the sight with your target when aiming.
- Use the .075" dot for quick sight recognition during shooting.
- Regularly practice aiming and shooting to familiarize yourself with the sight.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged or no longer needed, contact your local waste management for proper disposal options.

Contact Information for Further Support

For any questions or concerns regarding the product, please consult your retailer or a qualified gunsmith. Ensure to refer to local laws and regulations for any specific requirements related to firearm accessories.

By following these safety instructions, you can ensure a safe and effective experience with your 1911 Front White Dot Dovetail Sights. Always prioritize safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk