

# 1911 FRONT WHITE DOT DOVETAIL SIGHTS - NOVAK GOVT, WHITE, .160" HEIGHT

[Handgun Parts](#) > [Sights](#) > [Front Sights](#)

CNC machined, steel, dovetail front sight won't snag on your holster during presentation. Available with a big, .075" dot for fast sight recognition.

Requires use of a 65° x.330" dovetail cutter to cut the proper Novak dovetail; roll pin inserts in front to stake sight in place.



## Attributes

- Name: [NOVAK GOVT, WHITE, .160" HEIGHT](#)
- Manufacturer: [NOVAK](#)
- Product no.: 662000019
- Mfr. No.: DFS02-4.160
- Colour: White
- Height: .160
- Model: Government
- Outline: None
- Style: White Dot
- Weapon type: 1911
- Width: .125
- Delivery weight: 0.023kg
- Shipping width: 57mm
- Shipping length: 89mm

## Item details

Made in USA

# Table of Contents

- Startpage
- Safety Instruction Guide for 1911 Front White Dot Dovetail Sights
- About Us

# Safety Instruction Guide for 1911 Front White Dot Dovetail Sights

## Introduction

Thank you for choosing the 1911 Front White Dot Dovetail Sights. This guide provides important safety instructions and guidelines to ensure the safe use and installation of your product. Please read this document carefully before use.

## General Safety Guidelines

- Ensure safe handling and installation to avoid injury.
- Always inspect the product for defects before installation.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose.
- Report any unsafe products or incidents to the appropriate authorities.
- Stay informed about product recalls through the EU Safety Gate platform.

## Specific Safety Precautions for Use

### • Installation Safety:

- Use appropriate tools and follow installation instructions carefully.
- Wear safety goggles to protect your eyes from metal shavings during installation.

### • Handling Safety:

- Avoid touching sharp edges to prevent cuts.
- Handle the sight with care to prevent dropping and damaging it.

### • Usage Safety:

- Ensure the firearm is unloaded before installing or adjusting sights.
- Regularly check the sight for secure installation before use.

## Instructions for Installation and Usage

### 1. Tools Required:

- 65° x .330" dovetail cutter
- Roll pin punch
- Hammer
- Safety goggles

### 2. Installation Steps:

- Ensure the firearm is unloaded and safe.
- Use the dovetail cutter to cut the proper Novak dovetail.
- Insert the sight into the dovetail slot.
- Use the roll pin punch and hammer to stake the sight in place using the roll pin.
- Check for secure installation before using the firearm.

### 3. Usage Instructions:

- Align the sight with the target for accurate aiming.
- Practice regularly to become familiar with sight alignment and recognition.

## **Disposal Instructions**

- Dispose of the product and any packaging materials in accordance with local regulations.
- Do not dispose of the product in household waste; check for designated recycling facilities.

## **Contact Information for Further Support**

For any questions or concerns regarding the product, please reach out to your local retailer or manufacturer for assistance. Ensure you have the product details on hand for efficient support.

By following these safety instructions, you can ensure a safe and effective experience with your 1911 Front White Dot Dovetail Sights. Thank you for your attention to these important safety guidelines.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)