

SINCLAIR STAINLESS STEEL PILOTS - PILOT STOP, STAINLESS STEEL, 30 CALIBER

[Reloading](#) > [Case Preparation](#) > [Flash Hole Tool Pilots](#)

We manufacture pilots for our flash hole tool and our Neck Thickness/Variance Gauge. Our pilots are precision machined from stainless steel on CNC turning centers to properly fit new, unfired case necks. Available for rifle and pistol cartridges from 22 thru 45 caliber. Not for use on .50 BMG. 50 BMG flash hole diameter is larger.



Attributes

- Name: [PILOT STOP, STAINLESS STEEL, 30 CALIBER](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749001045
- Mfr. No.: 26308
- Caliber: 30 Caliber (.308)
- Delivery weight: 0.005kg
- Shipping width: 57mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for SINCLAIR Stainless Steel Pilots Pilot Stop, Stainless Steel, 30 Caliber
- About Us

Safety Instruction Guide for SINCLAIR Stainless Steel Pilots Pilot Stop, Stainless Steel, 30 Caliber

Introduction

Thank you for choosing the SINCLAIR Stainless Steel Pilots Pilot Stop. This product is designed to provide precision and reliability for your flash hole tool and Neck Thickness/Variance Gauge. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always handle the product with care to avoid injury.
- Ensure that the product is used in accordance with the manufacturer's instructions.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for any signs of wear or damage before use.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only with compatible rifle and pistol cartridges ranging from .22 to .45 caliber.
- Do not use with .50 BMG cartridges, as the flash hole diameter is larger and may cause malfunction.
- Always wear appropriate safety gear, including eye protection, when using this product.
- Ensure that the working area is clean and free of obstructions to prevent accidents.
- Do not exceed the recommended usage limits of the product.

Instructions for Installation and Usage

1. Installation:

- Ensure that your flash hole tool and Neck Thickness/Variance Gauge are properly assembled.
- Select the appropriate pilot for your cartridge caliber.
- Insert the pilot into the designated slot of the tool, ensuring it is securely fitted.

2. Usage:

- Follow the tool's operational guidelines for proper use.
- Apply gentle pressure when using the tool to avoid damaging the pilot or the cartridge.
- After use, clean the pilot to remove any debris or residue.
- Store the pilot in a safe and dry location to prevent damage.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding metal waste.
- Do not dispose of the product in regular household waste.
- If the product is damaged beyond repair, ensure it is recycled or disposed of in an environmentally friendly manner.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the manufacturer's website or customer service resources.

By following these guidelines and instructions, you can ensure the safe and effective use of the SINCLAIR Stainless Steel Pilots Pilot Stop. Thank you for your attention to safety.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at