

EXTENDED SHELLHOLDERS - REDDING EXTENDED SHELLHOLDER #1

[Reloading](#) > [Shellholders & Shellplates](#)

Extended shellholders are required when trimming short cases under 1-1/2" OAL. They are machined to the same tolerances as the Redding standard shellholders except they are longer.



Attributes

- Name: [REDDING EXTENDED SHELLHOLDER #1](#)
- Manufacturer: [REDDING](#)
- Product no.: 749002011
- Mfr. No.: 11501
- Cartridge: 22 BR (Benchrest) Remington,240 Weatherby Magnum,243 Winchester,25-06 Remington,257 Roberts,260 Remington,284 Winchester,30 Thompson Center,250 Savage,22-250 Remington,280 Remington
- Style: Press Type
- Delivery weight: 0.059kg
- Shipping height: 25mm
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 611760115011

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for Redding Extended Shellholder #1](#)
- [About Us](#)

Safety Instruction Guide for Redding Extended Shellholder #1

Introduction

Thank you for choosing the Redding Extended Shellholder #1. This guide provides essential safety instructions and guidelines for the proper use of this product. Please read this document carefully to ensure safe handling and usage.

General Safety Guidelines

- Always use the shellholder in accordance with the manufacturer's instructions.
- Inspect the shellholder before each use for signs of damage or wear.
- Store the shellholder in a safe, dry place away from children and pets.
- Never use the shellholder for purposes other than intended.
- Report any unsafe conditions or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the shellholder is compatible with your reloading equipment.
- Wear appropriate eye protection while using the shellholder.
- Keep hands and other body parts clear of moving parts during operation.
- Do not exceed the recommended cartridge specifications for the shellholder.
- Use caution when trimming cases to avoid injury from sharp edges.

Instructions for Installation and Usage

1. Installation

- Ensure that your reloading press is turned off and unplugged before installation.
- Remove any existing shellholder from the press.
- Insert the Redding Extended Shellholder #1 into the shellholder socket of your press.
- Secure the shellholder in place according to your press's instructions.

2. Usage

- Confirm that the shellholder is properly seated and secure before use.
- Trim cases that are under 11/2" OAL using the extended shellholder.
- Follow the manufacturer's guidelines for trimming and handling cartridges.
- After use, clean the shellholder to remove any debris or residue.

Disposal Instructions

- Dispose of the shellholder responsibly at a recycling facility that accepts metal products.
- Do not dispose of the shellholder in regular household waste.
- Follow local regulations for the disposal of metal products.

Contact Information for Further Support

For any inquiries or support regarding the Redding Extended Shellholder #1, please refer to the manufacturer's website or contact their customer service department directly.

Thank you for prioritizing safety while using the Redding Extended Shellholder #1. Your adherence to these

guidelines will help ensure a safe and effective reloading experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk