

# INTERLOCK 32 CALIBER (0.321") FLAT POINT BULLETS - INTERLOCK® 32 CALIBER (0.321") 170GR FLAT POINT 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Hornady InterLock Bullets feature an aerodynamic secant ogive, delivering flat trajectories and great accuracy. Tapered jacket for deep penetration and controlled expansion. InterLock ring locks core and jacket together. Lead alloy core is tough enough for any game.



## Attributes

- Name: [INTERLOCK® 32 CALIBER \(0.321"\) 170GR FLAT POINT 100/BOX](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749003085
- Mfr. No.: 3210
- Ballistic Coefficient (G1): 0.249
- Brand Style: InterLock
- Bullet Style: Flat Point (FP)
- Caliber: 32 Caliber
- Diameter (Breech): 0.321
- Diameter (in): 0.321
- Grain: 170
- Sectional Density: 0.236
- Quantity: 100
- Delivery weight: 1.111kg
- Shipping height: 53mm
- Shipping width: 69mm
- Shipping length: 107mm
- UPC: 090255232103

## Item details

Made in USA

US export classification: 0A505.x

# Table of Contents

- Startpage
- INTERLOCK 32 CALIBER (0.321") FLAT POINT BULLETS SAFETY INSTRUCTIONS
- About Us

# INTERLOCK 32 CALIBER (0.321") FLAT POINT BULLETS SAFETY INSTRUCTIONS

## Introduction

Thank you for choosing Hornady InterLock 32 Caliber (0.321") Flat Point Bullets. These bullets are designed for exceptional performance and accuracy. To ensure safe and effective use, please read and follow the safety instructions outlined in this guide. Your safety and the safety of others is our top priority.

## General Safety Guidelines

- Always treat all firearms and ammunition as if they are loaded.
- Store bullets in a cool, dry place away from direct sunlight and moisture.
- Keep bullets out of reach of children and unauthorized users.
- Use only in firearms that are specifically chambered for .32 caliber ammunition.
- Follow all local laws and regulations regarding the use and storage of ammunition.
- Regularly check for recalls and safety notices on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Ensure that the firearm is in good working condition and has been inspected by a qualified gunsmith.
- Wear appropriate eye and ear protection when handling or firing ammunition.
- Do not exceed the maximum load specifications recommended by the firearm manufacturer.
- Avoid using damaged or corroded bullets, as they may cause malfunctions or accidents.
- Always ensure a safe backstop when firing to prevent accidents.

## Instructions for Installation and Usage

### 1. Installation of Bullets into Cartridges:

- Use proper reloading equipment and follow manufacturer instructions for reloading ammunition.
- Ensure that the bullet is seated properly in the cartridge case.
- Check the overall cartridge length to ensure it meets specifications.

### 2. Usage:

- Load the ammunition into the firearm according to the manufacturer's instructions.
- Always point the firearm in a safe direction when loading and unloading.
- Keep your finger off the trigger until you are ready to shoot.
- Fire only when you are sure of your target and what is beyond it.
- If a misfire occurs, wait at least 30 seconds before attempting to clear the firearm.

## Disposal Instructions

- Dispose of any unused or unwanted bullets in accordance with local regulations for hazardous waste.
- Do not throw bullets in regular trash or recycling bins.
- Contact local authorities or hazardous waste disposal facilities for guidance on proper disposal methods.

## Contact Information for Further Support

For safety inquiries or concerns, please reach out to the designated EU contact point for product safety. Ensure that you have the product information available for reference.

By following these safety instructions, you can ensure a safer experience with Hornady InterLock 32 Caliber (0.321") Flat Point Bullets. Stay informed and prioritize safety at all times. Thank you for your attention and commitment to safe practices.

# About Us

## **Brownells Česká republika**

**Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

[www.brownells.cz](http://www.brownells.cz)