


V-MAX 6MM (0.243") V-MAX BULLETS - V-MAX® 6MM CAL. (0.243") 75GR POLYMER TIP BOAT TAIL 100/BOX

[Reloading](#) > [Bullets](#) > [Rifle Bullets](#)

Hornady V-Max Bullets features a polymer tip and a streamlined design for ultra flat trajectories. Match grade jacket design provides maximum accuracy at all ranges. These bullets allow for explosive expansion, even at low velocities.



Attributes

- Name: [V-MAX® 6MM CAL. \(0.243"\) 75GR POLYMER TIP BOAT TAIL 100/BOX](#)
- Manufacturer: [HORNADY](#)
- Product no.: 749003265
- Mfr. No.: 22420
- Ballistic Coefficient (G1): 0.330
- Brand Style: V-Max
- Bullet Style: V-Max
- Caliber: 6mm,243 Caliber
- Diameter (Breech): 0.243
- Diameter (in): 0.243
- Grain: 75
- Sectional Density: 0.181
- Quantity: 100
- Delivery weight: 0.476kg
- Shipping height: 66mm
- Shipping width: 53mm
- Shipping length: 56mm
- UPC: 090255275025

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- [Startpage](#)
- [VMAX 6MM \(0.243"\) VMAX BULLETS Safety Instruction Guide](#)
- [About Us](#)

VMAX 6MM (0.243") VMAX BULLETS Safety Instruction Guide

Introduction

Thank you for choosing Hornady VMax Bullets. This guide provides essential safety information to ensure the safe use of this product. It is crucial to follow these instructions to minimize risks associated with handling and using ammunition.

General Safety Guidelines

- Always treat every bullet as if it is loaded.
- Store ammunition in a cool, dry place, away from direct sunlight and moisture.
- Keep ammunition out of reach of children and unauthorized users.
- Use only in firearms that are specifically chambered for 6mm (0.243") cartridges.
- Familiarize yourself with your firearm's operating manual and follow all safety instructions.
- Always wear appropriate eye and ear protection when using firearms.
- Never point a firearm at anything you do not intend to shoot.

Specific Safety Precautions for Use

- Ensure the firearm is in good working condition before use.
- Inspect ammunition for any visible defects before loading.
- Do not use ammunition that has been submerged in water or exposed to extreme conditions.
- Be aware of your target and what is beyond it; ensure a safe backdrop.
- Avoid using ammunition with a higher grain than specified for your firearm.
- Do not modify or alter the ammunition in any way.

Instructions for Installation and Usage

1. Loading the Firearm

- Ensure the firearm is pointed in a safe direction.
- Open the action and inspect the chamber to ensure it is clear.
- Load the VMax bullets according to the manufacturer's instructions for your specific firearm.
- Close the action and ensure it is fully engaged.

2. Firing the Ammunition

- Position yourself in a stable and comfortable shooting stance.
- Aim at your target and ensure the area is clear.
- Squeeze the trigger smoothly to fire the bullet.
- After firing, keep the firearm pointed downrange and wait for a few seconds before checking for any malfunctions.

3. PostUse Procedures

- After use, clean your firearm according to the manufacturer's instructions.
- Store any unused ammunition safely as outlined in the general safety guidelines.

Disposal Instructions

- Dispose of any unused or expired ammunition in accordance with local regulations.
- Do not throw ammunition in regular trash; contact local authorities for proper disposal methods.
- If you have any defective ammunition, do not attempt to use it. Contact a qualified gunsmith or local law enforcement for safe disposal.

Contact Information for Further Support

For any safety inquiries or concerns regarding the VMax bullets, please refer to the relevant EU contact points or local authorities for assistance.

By following these safety guidelines and instructions, you can ensure a safer experience while using Hornady VMax Bullets. Always prioritize safety and responsible usage.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz