

TYPE S BUSHING NECK DIE SETS - REDDING 20 PPC BUSHING NECK DIE SET

[Reloading](#) > [Reloading Dies](#) > [Rifle Dies](#)

The Type S Bushing Style Neck Die set proves reloaders with a simple means to precisely control case neck size and tension. Packaged in a Redding Die Box with a wrench and extra decapping pin, this set includes a Type S Bushing Neck Die and a Body Die.



Attributes

- Name: [REDDING 20 PPC BUSHING NECK DIE SET](#)
- Manufacturer: [REDDING](#)
- Product no.: 749007957
- Mfr. No.: 78566
- Cartridge: 20 PPC
- Die Style: -
- Delivery weight: 0.703kg
- Shipping height: 46mm
- Shipping width: 112mm
- Shipping length: 152mm
- UPC: 611760785665

Item details

Made in USA

Table of Contents

- Startpage
- Safety Instruction Guide for TYPE S BUSHING NECK DIE SETS REDDING 20 PPC BUSHING NECK DIE SET
- About Us

Safety Instruction Guide for TYPE S BUSHING NECK DIE SETS REDDING 20 PPC BUSHING NECK DIE SET

Introduction

Thank you for choosing the TYPE S BUSHING NECK DIE SETS REDDING 20 PPC BUSHING NECK DIE SET. This guide provides important safety information and instructions to ensure the safe and effective use of your die set. Please read this document carefully before using the product.

General Safety Guidelines

- Ensure you are familiar with the die set and its components before use.
- Always wear appropriate safety gear, including safety glasses, to protect your eyes from potential debris.
- Keep the work area clean and organized to prevent accidents.
- Ensure that the die set is used in a wellventilated area to avoid inhalation of any dust or fumes.
- Do not use the die set for purposes other than its intended use.
- Keep the die set out of reach of children and pets.
- Regularly inspect the die set for any signs of damage or wear before each use.

Specific Safety Precautions for Use

- Always follow the manufacturer's instructions when using the die set.
- Be cautious when handling sharp tools and components to avoid cuts or injuries.
- Ensure that the die is securely mounted before operation to prevent accidents.
- Do not attempt to modify or repair the die set yourself; consult a professional if repairs are needed.
- When reloading, avoid overcharging the cases to prevent explosions or other dangerous situations.
- Store the die set in a safe and dry place when not in use to prevent rust and damage.

Instructions for Installation and Usage

1. Unboxing the Die Set:

- Carefully remove the die set from its packaging.
- Check that all components are included: Type S Bushing Neck Die, Body Die, wrench, and extra decapping pin.

2. Setting Up the Die:

- Secure the Type S Bushing Neck Die in your reloading press according to the manufacturer's instructions.
- Adjust the die to the desired neck size by selecting the appropriate bushing.

3. Reloading Process:

- Begin by cleaning the cases before resizing.
- Insert a case into the die and operate the press to resize the neck.
- Use the Body Die to resize the case body as needed.

4. PostUse Care:

- After use, clean the die set to remove any residue.

- Store the die set in the Redding Die Box to protect it from damage.

Disposal Instructions

- Dispose of any unused or damaged components in accordance with local regulations.
- Do not dispose of the die set in regular household waste. Check for local recycling programs that accept metal components.

Contact Information for Further Support

For any questions or concerns regarding the safety and use of your TYPE S BUSHING NECK DIE SET, please refer to the manufacturer's contact information provided with your product.

Conclusion

By following these safety instructions, you can ensure a safe and effective reloading experience with your TYPE S BUSHING NECK DIE SETS REDDING 20 PPC BUSHING NECK DIE SET. Always prioritize safety and consult the manufacturer for any additional information or support.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk