

BARNES TTAC-X 38 CAL (.355) SOLID COPPER HOLLOW POINT FB HANDGUN BULLETS - BARNES BULLETS TAC-XP 38 CAL (0.355") SOLID COPPER HP FB 80GR 40/BX

[Reloading](#) > [Bullets](#) > [Pistol Bullets](#)

Solid Copper Hollow Point Flat Base. Lead Free. With a large and deep hollow-point cavity, TAC-XP ammunition is designed to deliver top performance when it's most critical. Featuring nickel plated cases, the all-copper TAC-XP bullets produce smooth and reliable feeding with virtually no muzzle flash.



Attributes

- Name: [BARNES BULLETS TAC-XP 38 CAL \(0.355"\) SOLID COPPER HP FB 80GR 40/BX](#)
- Manufacturer: [BARNES BULLETS](#)
- Product no.: 749009024
- Mfr. No.: 30440
- Bullet Style: TAC-XP
- Caliber: 38 Caliber
- Diameter (in): 0.355
- Grain: 80
- Quantity: 40
- Delivery weight: 0.227kg
- Shipping height: 28mm
- Shipping width: 46mm
- Shipping length: 74mm
- UPC: 716876355006

Item details

Made in USA

US export classification: 0A505.x

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for BARNES TTACX 38 CAL Solid Copper Hollow Point Handgun Bullets](#)
- [About Us](#)

Safety Instruction Guide for BARNES TTACX 38 CAL Solid Copper Hollow Point Handgun Bullets

Introduction

Thank you for choosing BARNES TTACX 38 CAL (.355) Solid Copper Hollow Point FB Handgun Bullets. This guide provides essential safety information to ensure the safe use and handling of this product. Please read and follow these instructions carefully to minimize risks and ensure compliance with safety regulations.

General Safety Guidelines

- Always treat all ammunition as if it is loaded.
- Store ammunition in a cool, dry place, away from direct sunlight and moisture.
- Keep ammunition out of reach of children and unauthorized users.
- Use only in firearms that are designed for 38 caliber ammunition.
- Regularly check for recalls and safety updates regarding this product.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is in good working condition before use.
- Use proper eye and ear protection when handling and shooting the ammunition.
- Do not exceed the manufacturer's recommended loads.
- Be aware of your surroundings and ensure a safe shooting environment.
- Never point a firearm at anything you do not intend to shoot.
- Always follow the firearm manufacturer's instructions for loading and unloading.

Instructions for Installation and Usage

1. Loading the Firearm

- Ensure the firearm is pointed in a safe direction.
- Open the action and visually inspect the chamber to confirm it is empty.
- Insert the BARNES TTACX bullets into the magazine or chamber as per the firearm's manual.
- Close the action securely.

2. Firing the Ammunition

- Position yourself in a stable shooting stance.
- Aim at the target and ensure the area is clear.
- Squeeze the trigger gently to fire the bullet.
- After firing, keep the firearm pointed downrange until you are ready to unload.

3. Unloading the Firearm

- Open the action and remove the magazine.
- Visually inspect the chamber to ensure it is empty.
- Store the firearm and ammunition safely.

Disposal Instructions

- Dispose of any unused or expired ammunition in accordance with local regulations.
- Do not throw ammunition in the regular trash.

- Contact local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional information regarding this product, please contact your local BARNES representative or consult the official BARNES website. Always ensure you have the latest information regarding product safety and recalls.

By following these safety instructions, you can ensure a safe and enjoyable experience with your BARNES TTACX 38 CAL Solid Copper Hollow Point Handgun Bullets. Thank you for prioritizing safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk