

CROSS BOLT DIE LOCK RING - SINCLAIR INTERNATIONAL CROSS BOLT DIE LOCKING RING, STAINLESS STEEL, 3 PACK

[Reloading](#) > [Reloading Dies](#) > [Replacement Parts & Upgrades](#)

The Sinclair Cross Bolt Die Lock Rings are machined from stainless steel and fit all standard 7/8-14 reloading dies or press mounted accessories. The lock ring surfaces are machined flat and parallel, and the cross bolt design with no lock screw contacting the die threads is preferred by most experienced reloaders. We incorporated a larger hex screw crossbolt (7/64" Hex) but designed the crossbolt recess so the hex head does not protrude from the lock ring circumferenced. Will work with the Forster CO-AX Press.



Attributes

- Name: [SINCLAIR INTERNATIONAL CROSS BOLT DIE LOCKING RING, STAINLESS STEEL, 3 PACK](#)
- Manufacturer: [SINCLAIR INTERNATIONAL](#)
- Product no.: 749011547
- Mfr. No.:
- Style: Die Lock Rings/Wrenches
- Delivery weight: 0.113kg
- Shipping width: 83mm
- Shipping length: 146mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for CROSS BOLT DIE LOCK RING](#)
- [About Us](#)

Safety Instruction Guide for CROSS BOLT DIE LOCK RING

Introduction

Thank you for choosing the Sinclair Cross Bolt Die Lock Ring. This guide provides essential safety instructions and usage information to ensure a safe and effective experience with your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that all safety guidelines are followed to prevent accidents and injuries.
- Always inspect the product for any visible damage before use. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Use the product only for its intended purpose as described in this guide.
- Store the product in a dry and secure location when not in use.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE), such as safety glasses and gloves, when using reloading equipment.
- Ensure that your workspace is clean and free of obstructions to avoid accidents.
- Do not exceed the manufacturer's recommended load limits when using the die lock ring.
- Be cautious when handling tools and equipment to avoid cuts or injuries.
- Do not modify the product in any way, as this may compromise safety and functionality.

Instructions for Installation and Usage

1. Installation:

- Ensure that your reloading die or press mounted accessory is clean and free from debris.
- Align the Sinclair Cross Bolt Die Lock Ring with the die threads.
- Handtighten the lock ring onto the die until it is snug. Do not overtighten.
- Use the larger hex screw crossbolt (7/64" Hex) to further secure the lock ring if necessary, ensuring the hex head does not protrude from the lock ring circumference.

2. Usage:

- When using the lock ring with the Forster COAX Press, follow the manufacturer's instructions for the press to ensure compatibility.
- Regularly check the tightness of the lock ring during use to ensure it remains secure.
- If you notice any unusual wear or damage, discontinue use immediately and inspect the product.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal recycling.
- Do not dispose of the product in regular household waste.
- Ensure that all components are disposed of safely to prevent environmental harm.

Contact Information for Further Support

For safety inquiries or additional support regarding the Sinclair Cross Bolt Die Lock Ring, please refer to the

product packaging or visit the manufacturer's website for contact details.

Please remember to report any unsafe products or accidents to the relevant authorities and check for recall updates on the EU's Safety Gate platform. Your safety is our priority. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk