

CONTOUR #3 BARREL - SHILEN 6.5MM 1-9 TWIST #3 CHROME MOLY BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #3 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope inspected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 6.5MM 1-9 TWIST #3 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787264093
- Mfr. No.: 65MM93CM
- Caliber: 264/6.5 mm (.264)
- Contour: #3
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-9
- Delivery weight: 1.588kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 CHROME MOLY BARREL Safety Instruction Guide
- About Us

CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 CHROME MOLY BARREL Safety Instruction Guide

Introduction

Thank you for choosing the CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 CHROME MOLY BARREL. This guide provides essential safety instructions to ensure the safe use, installation, and disposal of the product. Please read this guide carefully to understand the potential hazards and how to mitigate them.

General Safety Guidelines

- Always handle the barrel with care to avoid injury.
- Ensure that the barrel is used in accordance with the manufacturer's specifications.
- Keep the barrel and all related tools out of the reach of children and unauthorized users.
- Regularly inspect the barrel for any signs of damage or wear before use.
- Follow all local laws and regulations regarding the use and ownership of firearm components.

Specific Safety Precautions for Use

- Use only compatible firearm systems with the CONTOUR #3 BARREL to prevent malfunction.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Ensure the firearm is unloaded before installing or removing the barrel.
- Do not attempt to modify or alter the barrel in any way, as this can compromise safety and performance.
- If you notice any irregularities during use, stop immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and safety equipment before beginning installation.
- Ensure you are in a clean, dry, and welllit workspace.

2. Installation Steps

- Ensure the firearm is completely unloaded.
- Remove the existing barrel from the firearm according to the manufacturer's instructions.
- Align the CONTOUR #3 BARREL with the firearm's receiver.
- Securely fasten the barrel using the appropriate tools, ensuring it is properly torqued to the manufacturer's specifications.
- Doublecheck that the barrel is correctly installed and does not have any visible gaps.

3. Usage Instructions

- Always follow safe handling practices when operating a firearm.
- Before each use, inspect the barrel for any signs of damage or wear.
- Clean the barrel regularly to maintain performance and safety.
- Store the firearm in a secure location when not in use.

Disposal Instructions

- Dispose of the barrel in accordance with local regulations regarding firearm components.
- If the barrel is damaged or no longer usable, consult local authorities for proper disposal methods.
- Do not dispose of the barrel in regular household waste.

Contact Information for Further Support

For any inquiries regarding safety or product information, please refer to the manufacturer or authorized dealer for assistance.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safer experience while using the CONTOUR #3 BARREL SHILEN 6.5MM 19 TWIST #3 CHROME MOLY BARREL.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk