

CONTOUR #4 BARREL...BY SHILEN - SHILEN 6.5MM 1-9 TWIST #4 CHROME MOLY BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

Contour #4 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003" No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 6.5MM 1-9 TWIST #4 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787264094
- Mfr. No.: 65MM94CM
- Caliber: 264/6.5 mm (.264)
- Cartridge: -
- Contour: #4
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-9
- Delivery weight: 1.783kg
- Shipping height: 25mm
- Shipping width: 25mm

- Shipping length: 718mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #4 BARREL by SHILEN
- About Us

Safety Instruction Guide for CONTOUR #4 BARREL by SHILEN

Introduction

Thank you for choosing the CONTOUR #4 BARREL by SHILEN. This guide provides important safety instructions and guidelines to ensure the safe use and handling of this product. Please read this guide carefully before use.

General Safety Guidelines

- Always handle firearms and firearm components with care and respect.
- Ensure that you are familiar with your firearm's operation and safety features.
- Store the barrel in a secure location, away from children and unauthorized users.
- Regularly inspect the barrel for any signs of damage or wear before use.
- Follow all local laws and regulations regarding firearm ownership and usage.
- Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- Use only with compatible firearms to prevent malfunctions and ensure safety.
- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Do not exceed the recommended caliber specifications for the barrel.
- Ensure that the barrel is properly installed and secured before use.
- Avoid using damaged or suspect barrels; consult a qualified gunsmith if in doubt.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Remove the existing barrel following the manufacturer's instructions.
- Clean the receiver threads to ensure proper fit.
- Carefully thread the CONTOUR #4 BARREL onto the receiver, ensuring it is aligned correctly.
- Tighten the barrel securely according to the manufacturer's specifications.
- Reassemble any other components as necessary.

2. Usage:

- Always verify that the firearm is unloaded before handling.
- Load ammunition that is compatible with the barrel specifications (6.5mm).
- Follow the firearm's operating procedures for loading and firing.
- After use, clean the barrel according to the manufacturer's cleaning guidelines.

Disposal Instructions

- Dispose of any damaged or unusable barrels in accordance with local regulations.
- Do not discard barrels in regular waste; contact local authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or further assistance, please refer to the manufacturer or your local firearms dealer.

Ensure you have the product details available when seeking support.

Thank you for prioritizing safety while using the CONTOUR #4 BARREL by SHILEN. Your adherence to these guidelines helps ensure a safe and enjoyable shooting experience.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk