

# CONTOUR #2 - SHILEN 270 CALIBER 1-10 TWIST #2 CHROME MOLY BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

## Contour #2 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



## Attributes

- Name: [SHILEN 270 CALIBER 1-10 TWIST #2 CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787270102
- Mfr. No.: 270102CM
- Caliber: 270/6.8 mm (.277)
- Contour: #2
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-10
- Delivery weight: 1.383kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 660mm

## **Item details**

Made in USA

US export classification: 0A501.c

# Table of Contents

- Startpage
- Safety Instruction Guide for CONTOUR #2 SHILEN 270 CALIBER BARREL
- About Us

# Safety Instruction Guide for CONTOUR #2 SHILEN 270 CALIBER BARREL

## Introduction

Thank you for choosing the CONTOUR #2 SHILEN 270 CALIBER barrel. This guide provides essential safety instructions to ensure the safe use and handling of this product. Please read this manual carefully and keep it for future reference.

## General Safety Guidelines

- Ensure that the barrel is used only by individuals who are familiar with firearms and have received proper training.
- Always handle the barrel with care to prevent injuries.
- Store the barrel in a safe and secure location, away from children and unauthorized users.
- Regularly inspect the barrel for any signs of damage or wear.
- Follow all local laws and regulations regarding firearm use and ownership.
- Report any unsafe conditions or incidents to local authorities.

## Specific Safety Precautions for Use

- Always wear appropriate eye and ear protection when using firearms equipped with this barrel.
- Ensure that the firearm is unloaded before attaching or detaching the barrel.
- Check for proper fit and alignment before use.
- Do not exceed the recommended caliber specifications for this barrel.
- Avoid using reloaded ammunition unless it has been inspected and verified for safety.
- Never point the firearm at anything you do not intend to shoot.
- Be aware of your surroundings and ensure a safe shooting environment.

## Instructions for Installation and Usage

### 1. Installation:

- Ensure the firearm is completely unloaded.
- Remove the existing barrel from the firearm according to the manufacturer's instructions.
- Align the CONTOUR #2 SHILEN barrel with the receiver and ensure it fits properly.
- Secure the barrel in place using the appropriate tools and techniques as specified by the firearm manufacturer.
- Doublecheck the installation for any looseness or misalignment.

### 2. Usage:

- Load the firearm with the appropriate ammunition (270 caliber).
- Conduct a function check to ensure the firearm operates correctly.
- Fire the firearm in a safe and controlled environment, following all standard operating procedures for shooting.
- After use, clean the barrel according to the manufacturer's recommendations to maintain performance and safety.

## Disposal Instructions

- Dispose of the barrel responsibly and in accordance with local regulations.
- Do not dispose of the barrel in regular household waste.

- Contact local authorities or waste disposal services for guidance on proper disposal methods.

## **Contact Information for Further Support**

For any questions or concerns regarding the CONTOUR #2 SHILEN barrel, please consult your supplier or manufacturer. It is important to have access to reliable support for any issues that may arise.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Always prioritize safety when handling firearms and their components.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)