

CONTOUR #5 BARREL - SHILEN 270 CALIBER 1-10 TWIST #5 CHROME MOLY

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #5 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope inspected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 270 CALIBER 1-10 TWIST #5 CHROME MOLY](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787270105
- Mfr. No.: 270105CM
- Caliber: 270/6.8 mm (.277)
- Contour: #5
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-10
- Delivery weight: 1.928kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 711mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- CONTOUR #5 BARREL SHILEN 270 CALIBER 110 TWIST #5 CHROME MOLY Safety Instruction Guide
- About Us

CONTOUR #5 BARREL SHILEN 270 CALIBER 110 TWIST #5 CHROME MOLY Safety Instruction Guide

Introduction

Thank you for choosing the CONTOUR #5 BARREL SHILEN 270 CALIBER 110 TWIST #5 CHROME MOLY. This guide provides essential safety instructions to ensure the safe use of this product in compliance with the EU General Product Safety Regulation (GPSR). Please read this guide carefully before using the barrel.

General Safety Guidelines

- Ensure that the barrel is installed by a qualified gunsmith to prevent potential hazards.
- Always handle firearms and their components responsibly and with care.
- Store the barrel in a secure location, away from children and unauthorized users.
- Regularly inspect the barrel for signs of wear, damage, or corrosion.
- Follow all local laws and regulations regarding firearms and their components.

Specific Safety Precautions for Use

- Only use ammunition that is compatible with the 270 caliber specifications.
- Never exceed the recommended load specifications for the barrel.
- Always wear appropriate safety gear, including eye and ear protection, when firing.
- Do not modify the barrel or its components in any way that could compromise safety.
- Ensure that the firearm is pointed in a safe direction at all times during use.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded before beginning installation.
- Use proper tools to attach the barrel securely to the firearm.
- Follow the manufacturer's guidelines for the specific firearm model to ensure correct installation.

2. Usage:

- Before firing, doublecheck that the barrel is securely attached and that all components are functioning correctly.
- Load the firearm only when you are ready to shoot.
- Maintain a safe distance from others while firing and ensure that the area is clear of obstructions.

Disposal Instructions

- Dispose of the barrel in accordance with local regulations regarding hazardous materials.
- If the barrel is damaged or no longer usable, contact a local recycling facility that accepts metal components.
- Do not discard the barrel in regular household waste.

Contact Information for Further Support

For any safety inquiries or further support regarding the CONTOUR #5 BARREL SHILEN 270 CALIBER 110 TWIST #5 CHROME MOLY, please refer to the appropriate contact channels provided by your retailer or manufacturer.

Conclusion

By following these safety guidelines and instructions, you can ensure the safe use of your CONTOUR #5 BARREL SHILEN 270 CALIBER 110 TWIST #5 CHROME MOLY. Your safety and the safety of those around you are of utmost importance. Thank you for your attention to these important safety measures.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk