

CONTOUR #7, 8 & 9 BARREL - SHILEN CONTOUR #7 .30, 10 TWIST, CM

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

Contours #7, 8 & 9 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN CONTOUR #7 .30, 10 TWIST, CM](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787308107
- Mfr. No.: 30107CM
- Caliber: 30 Caliber (.308)
- Contour: #7
- Material: Chrome Moly Steel
- Style: Match-Grade
- Twist: 1-10
- Delivery weight: 3.152kg
- Shipping height: 30mm
- Shipping width: 30mm
- Shipping length: 711mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- CONTOUR #7, 8 & 9 BARREL SHILEN CONTOUR #7 .30, 10 TWIST, CM Safety Instructions
- About Us

CONTOUR #7, 8 & 9 BARREL SHILEN CONTOUR #7 .30, 10 TWIST, CM Safety Instructions

Introduction

Thank you for choosing the CONTOUR #7, 8 & 9 Barrel Shilen Contour #7 .30, 10 Twist, CM. This guide provides essential safety instructions to ensure the safe use and handling of your barrel. Please read this document carefully before installation and use.

General Safety Guidelines

- Always follow the manufacturer's instructions and guidelines for safe usage.
- Ensure that the barrel is suitable for your firearm model and caliber.
- Inspect the barrel for any visible defects or damage before use.
- Store the barrel in a safe, dry place away from children and unauthorized users.
- Always treat the barrel as if it is loaded and handle it responsibly.
- Use appropriate safety equipment, such as eye and ear protection, when handling firearms.
- Report any unsafe products or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Ensure that you are familiar with the operation of your firearm before installing the barrel.
- Only use ammunition that is compatible with your barrel's caliber specifications.
- Avoid using damaged or wornout barrels, as they may pose a safety risk.
- Do not attempt to modify or alter the barrel in any way without professional guidance.
- If you experience any malfunctions or irregularities during use, cease operation immediately and consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation for Installation

- Gather all necessary tools and safety equipment.
- Ensure that the firearm is unloaded and the action is open.

2. Installation Steps

- Remove the existing barrel from your firearm according to the manufacturer's guidelines.
- Clean the receiver threads and ensure they are free from debris.
- Carefully align the new barrel with the receiver.
- Handtighten the barrel into place, ensuring it is properly aligned.
- Use the appropriate tools to secure the barrel to the receiver, following the manufacturer's torque specifications.

3. PostInstallation Checks

- Inspect the installation to ensure there are no gaps or misalignments.
- Perform a function check of the firearm to ensure all components operate smoothly.
- Conduct a test fire in a safe and controlled environment to verify proper operation.

Disposal Instructions

- Dispose of any packaging materials in accordance with local recycling regulations.
- If the barrel is no longer usable, consult local guidelines for the disposal of firearms components.
- Ensure that any disposed items do not pose a risk to the environment or public safety.

Contact Information for Further Support

For any inquiries related to safety, installation, or performance, please refer to the manufacturer's contact information provided with your product. Ensure that you have your product details ready for reference.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Always prioritize safe handling practices to enjoy the full benefits of your CONTOUR #7, 8 & 9 Barrel Shilen Contour #7 .30, 10 Twist, CM.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk