

CONTOUR #6 BARREL - SHILEN .224, 14 TWIST, SS

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrel Blanks](#)

Contour #6 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with eight lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in-spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003". No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN .224, 14 TWIST, SS](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787922146
- Mfr. No.: 22146SS
- Caliber: 22 Caliber (.223-.224)
- Contour: #6
- Material: Stainless Steel
- Style: Match-Grade
- Twist: 1-14
- Delivery weight: 2.744kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 711mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- CONTOUR #6 BARREL SHILEN .224 Safety Instruction Guide
- About Us

CONTOUR #6 BARREL SHILEN .224 Safety Instruction Guide

Introduction

Thank you for choosing the CONTOUR #6 BARREL SHILEN .224. This product is designed for precision shooting and is manufactured to the highest quality standards. To ensure safe and effective use of this barrel, please read and follow the safety guidelines outlined in this document.

General Safety Guidelines

- Ensure that you are familiar with local laws and regulations regarding firearm components.
- Always handle firearms with care and respect.
- Store the barrel in a secure location, away from children and unauthorized users.
- Regularly inspect the barrel for signs of wear or damage before use.
- Never use ammunition that is not compatible with the barrel specifications.

Specific Safety Precautions for Use

- Always wear appropriate safety gear, including eye and ear protection, when using firearms.
- Ensure that the firearm is unloaded before installing or removing the barrel.
- Follow all manufacturer's instructions for the firearm to which the barrel will be attached.
- Do not exceed the recommended caliber specifications for this barrel.
- Avoid using the barrel in adverse weather conditions that may affect performance.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Installation:

- Ensure that the firearm is unloaded and pointed in a safe direction.
- Remove the existing barrel according to the manufacturer's instructions.
- Carefully install the CONTOUR #6 BARREL SHILEN .224 by following the specific guidelines for your firearm model.
- Ensure that the barrel is securely fastened and properly aligned before use.

2. Usage:

- Load the firearm only when you are ready to shoot.
- Always check the barrel for obstructions before firing.
- Fire in a controlled and safe manner, following all standard shooting practices.
- After use, clean the barrel according to the manufacturer's recommendations to maintain performance.

Disposal Instructions

- Dispose of any damaged or worn barrels in accordance with local laws and regulations.
- Do not dispose of the barrel in regular household waste.
- Contact local authorities for proper disposal methods for firearm components.

Contact Information for Further Support

For any questions or concerns regarding the CONTOUR #6 BARREL SHILEN .224, please refer to the manufacturer's website or contact your supplier for assistance.

By following these guidelines, you can ensure a safe and enjoyable experience with your CONTOUR #6 BARREL SHILEN .224. Thank you for your attention to safety.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk