

CONTOUR #3 BARREL - SHILEN 6MM 1-10 TWIST #3 STAINLESS BARREL

[Gunsmith Tools](#) > [Barrel Tools](#) > [Barrel Blanks](#)

Contour #3 in Chrome Moly or Stainless Steel

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" - five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003" No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.

All the loving care of the best stockmaker and the meticulous attention to detail of the master machinist will not make a gun shoot any straighter than the accuracy capability of the barrel used. And, it is the insides of a barrel, that very small and vital area of lands and grooves over which the gunsmith has no control, that can determine whether the finished work of art is for shooting - or "just for looks". Craftsmanship . . . not price . . . determines the quality of a barrel. But, by the same token, the customer willing to spend the money for a custom gun is shortsighted indeed, if he starts economizing and orders "just any old barrel so long as it's cheap". Furthermore, he is jeopardizing your reputation as a gun builder by making such a request. We, as your supplier, are laying our reputation (and yours, too!) on the line by offering you barrel blanks. They have got to be good or we are in trouble! Big trouble!! We must never sell you anything but that which will enlarge your stature with your trade. And, we feel that the Brownell Barrel, made for us by Ed Shilen, will do just that! Shilen barrels, either chrome moly or Stainless, are rifled with six lands and grooves by the "Cold Forming" process using carbide dies made in Shilen's own plant under the most rigid controls. This rifling method achieves extremely close inside uniformity from breech to muzzle. Finished barrels are air-gauge inspected (air-gauged sensitivity is .00005" -



five-one-hundred-thousandths!) and 6X borescope in- spected. All barrels, .22 through .30 caliber have groove tolerances within .0005" and uniformity within .0003" No straightening is done, and all barrels are completely stress-relieved. All stainless steel barrels are hand lapped at the factory. Only those barrels passing all spec tests are offered to the trade. Any barrel even slightly "suspect" is started through the production process again and bored to a large caliber. In no other way can quality and reputation be maintained. Slightly more expensive to produce - but vastly greater in quality and ultimate performance.



Attributes

- Name: [SHILEN 6MM 1-10 TWIST #3 STAINLESS BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 787924103
- Mfr. No.: 6MM103SS
- Caliber: 243/6 mm (.243)
- Contour: #3
- Material: Stainless Steel
- Style: Match-Grade
- Twist: 1-10
- Delivery weight: 1.542kg
- Shipping height: 28mm
- Shipping width: 30mm
- Shipping length: 660mm

Item details

Made in USA

US export classification: 0A501.c

Table of Contents

- Startpage
- CONTOUR #3 BARREL SHILEN 6MM 110 TWIST #3 STAINLESS BARREL Safety Instructions
- About Us

CONTOUR #3 BARREL SHILEN 6MM 110 TWIST #3 STAINLESS BARREL Safety Instructions

Introduction

Thank you for choosing the CONTOUR #3 BARREL SHILEN 6MM 110 TWIST #3 STAINLESS BARREL. This guide provides essential safety instructions to ensure the safe usage and handling of your barrel. Please read this document carefully before use to understand the safety precautions and operational guidelines.

General Safety Guidelines

- Ensure the barrel is compatible with your firearm before installation.
- Always handle the barrel with care to avoid physical injury and damage.
- Store the barrel in a dry and secure location to prevent unauthorized access.
- Regularly inspect the barrel for any signs of wear or damage before use.
- Keep the barrel out of reach of children and vulnerable individuals.

Specific Safety Precautions for Use

- Use only approved ammunition that is compatible with the barrel specifications.
- Do not attempt to modify or alter the barrel in any way.
- Ensure proper cleaning and maintenance of the barrel to maintain optimal performance.
- Avoid using the barrel in adverse weather conditions that may affect its functionality.
- Always wear appropriate safety gear, including eye protection, when using the firearm equipped with this barrel.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction before installation.
- Remove the existing barrel from the firearm according to the manufacturer's instructions.
- Carefully align the CONTOUR #3 BARREL with the receiver and secure it using the appropriate tools.
- Tighten all mounting hardware to the manufacturer's specifications.

2. Usage:

- Before firing, perform a function check to ensure the firearm operates correctly with the new barrel.
- Always follow safe shooting practices and local laws regarding firearm use.
- After use, clean the barrel according to the recommended cleaning procedures to ensure longevity.

Disposal Instructions

- Dispose of any damaged or worn barrels in accordance with local regulations regarding hazardous materials.
- Do not discard the barrel in regular household waste. Instead, contact local authorities for proper disposal methods.

Contact Information for Further Support

For any inquiries or concerns regarding safety or performance, please reach out to your supplier or manufacturer for assistance. Ensure you have the model number and any relevant details ready for a quicker response.

Thank you for your attention to these safety instructions. Your safety and the safety of others depend on your adherence to these guidelines. Enjoy the precision and performance of your CONTOUR #3 BARREL SHILEN 6MM 110 TWIST #3 STAINLESS BARREL.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk