

U.S. KRAM MOUNT - 1898 30-40 KRAM & NORW (S&K)

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Easily installed with no drilling or tapping required. High tensile strength alloy base furnished with streamlined, S&K horizontally split rings.



Attributes

- Name: [1898 30-40 KRAM & NORW \(S&K\)](#)
- Manufacturer: [S&K](#)
- Product no.: 794001098
- Mfr. No.: 2365
- Finish: Black
- Height: 2.7"
- Model: 1898
- Scope Tube Diameter: 1"
- Style: No Drill
- Weapon type: Krag-Jorgensen
- Delivery weight: 0.249kg
- Shipping height: 30mm
- Shipping width: 107mm
- Shipping length: 152mm

Item details

Made in USA

Table of Contents

- Startpage
- U.S. KRAM MOUNT 1898 3040 KRAM & NORW (S&K) Safety Instruction Guide
- About Us

U.S. KRAM MOUNT 1898 3040 KRAM & NORW (S&K) Safety Instruction Guide

Introduction

Thank you for choosing the U.S. KRAM MOUNT 1898 3040 KRAM & NORW (S&K). This product is designed for easy installation without the need for drilling or tapping, ensuring a secure fit for your firearm. This guide provides essential safety instructions and usage guidelines to ensure your safety and the proper functioning of the product.

General Safety Guidelines

- Always read and understand the instructions before using the product.
- Ensure that the mount is compatible with your specific firearm model.
- Regularly inspect the mount for any signs of wear or damage.
- Store the mount in a dry, cool place away from direct sunlight.
- Keep the product out of reach of children and unauthorized users.
- Report any unsafe conditions or product malfunctions to the appropriate authorities.

Specific Safety Precautions for Use

- Ensure that the firearm is unloaded before installation or adjustment of the mount.
- Do not exceed the recommended weight limit for scopes or accessories mounted on the product.
- Use only compatible accessories as specified by the manufacturer.
- Avoid using the mount in extreme weather conditions that may affect its integrity.
- Be cautious of sharp edges during installation and handling to prevent injury.
- If you are inexperienced with firearm accessories, seek assistance from a qualified professional.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and components for installation.
- Ensure that your workspace is clean and welllit.

2. Installation Steps

- Identify the mounting location on your firearm.
- Align the S&K horizontally split rings with the mounting base.
- Secure the aluminum base to the firearm using the provided steel clamp screws.
- Tighten the screws firmly but avoid overtightening to prevent damage.

3. Mounting the Scope

- Place the scope tube into the split rings.
- Adjust the position of the scope to your preferred eye relief.
- Secure the rings by tightening the screws evenly on both sides.

4. Final Check

- Ensure that all screws are tightened and the mount is secure.
- Check for any movement in the mount or scope before using the firearm.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the product is damaged beyond use, dispose of it in accordance with local regulations for hazardous materials.
- Do not dispose of the product in regular household waste.

Contact Information for Further Support

For further support, please refer to the manufacturer's website or contact your local retailer for assistance regarding safety inquiries or product concerns.

By following these safety instructions, you can ensure a safe and effective experience with your U.S. KRAM MOUNT 1898 3040 KRAM & NORW (S&K). Thank you for prioritizing safety and responsible usage.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk