

REMINGTON 700 FACTORY CONTOUR PRE-THREADED BARREL - SHILEN 223 REMINGTON 1-9" TWIST VARMINT CHROME MOLY BARREL

[Rifle Parts](#) > [Barrel Parts](#) > [Rifle Barrels](#)

Fits Remington Factory Stocks With Little-To-No Modification

Made for Brownells by Shilen to match the factory contour. Upgrade the performance and accuracy of Remington 700 rifles without costly stock work. Match-grade, short-chambered barrels have the correct contour to drop into Remington factory or aftermarket stocks with little-to-no barrel channel modifications. Install with your factory recoil lug. Muzzle is cut at 90° to the bore and ready for crowning. After installation, use a hand-turned, finish reamer to deepen chamber until correct headspace is reached. (Correct headspace gauges and reamer required.)



Attributes

- Name: [SHILEN 223 REMINGTON 1-9" TWIST VARMINT CHROME MOLY BARREL](#)
- Manufacturer: [SHILEN](#)
- Product no.: 801782220
- Mfr. No.: NONE
- Barrel Weight: 4.64 lbs
- Cartridge: 223 Remington
- Contour: Varmint
- Finish: Chrome Moly
- Length: 26"
- Model: 700
- Twist: 1-9
- Weapon type: Remington
- Delivery weight: 2.087kg
- Shipping height: 28mm
- Shipping width: 28mm
- Shipping length: 673mm

Item details

Made in USA
US export classification: 0A501.c

Table of Contents

- Startpage
- Safety Instruction Guide for REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN 223
REMINGTON 19" TWIST VARMINT CHROME MOLY BARREL
- About Us

Safety Instruction Guide for REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL SHILEN 223 REMINGTON 19" TWIST VARMINT CHROME MOLY BARREL

Introduction

Thank you for purchasing the REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL manufactured by Shilen. This guide provides essential safety information and instructions to ensure the safe and effective use of your new barrel. Please read this guide carefully before installation and use.

General Safety Guidelines

- Ensure that all safety precautions are followed during installation and use.
- Always handle firearms and their components with care.
- Keep the barrel and all firearm components out of reach of children and unauthorized users.
- Regularly inspect the barrel for any signs of damage or wear.
- Use only compatible accessories and components designed for the Remington 700 series.
- Be aware of local laws and regulations regarding firearm modifications and usage.
- Report any unsafe products and accidents to the relevant authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always wear appropriate personal protective equipment (PPE) when handling firearms and their components, including safety glasses and hearing protection.
- Ensure that the firearm is completely unloaded before installing or handling the barrel.
- Follow the manufacturer's instructions for installation and usage to avoid potential hazards.
- Use a handturned, finish reamer only as directed to deepen the chamber until correct headspace is achieved.
- Ensure proper headspace is verified using correct gauges before firing the firearm.
- Do not attempt to modify the barrel or any firearm components beyond the manufacturer's specifications.
- If you are unsure about any aspect of installation or usage, consult a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure that the firearm is unloaded and in a safe condition before beginning installation.
- Gather all necessary tools, including a handturned finish reamer and headspace gauges.

2. Installation Steps

- Remove the existing barrel from your Remington 700 rifle according to the manufacturer's instructions.
- Install the new Shilen barrel, ensuring that it is properly aligned with the receiver.
- Use your factory recoil lug for installation.
- The muzzle of the barrel is precut at 90° to the bore and is ready for crowning.
- Once the barrel is installed, use a handturned finish reamer to deepen the chamber until the correct headspace is reached. Ensure that you use the correct headspace gauges to verify proper fit.

3. PostInstallation Checks

- After installation, doublecheck that all components are securely fastened.
- Verify that the barrel is properly aligned and that there are no obstructions in the bore.
- Conduct a function check to ensure that the firearm operates correctly before live firing.

4. Usage

- Always follow safe firearm handling practices when using your Remington 700 rifle.
- Ensure that you are in a safe location and that you have a proper backstop when firing.
- Regularly maintain your firearm and barrel to ensure optimal performance and safety.

Disposal Instructions

- Dispose of any packaging materials responsibly, following local recycling guidelines.
- If the barrel or any components become damaged or unusable, consult local regulations for proper disposal methods.
- Do not dispose of firearms or firearm components in regular trash.

Contact Information for Further Support

For safety inquiries or additional support regarding your REMINGTON 700 FACTORY CONTOUR PRETHREADED BARREL, please refer to the manufacturer's contact information. Ensure that you have the product details ready for accurate assistance.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your new barrel. Always prioritize safety and proper handling practices when dealing with firearms. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk