

LONG ACTION FOLLOWER & SPRING - SAVAGE LONG ACTION FOLLOWER & SPRING

[Home](#)

FITS: 110/111/112/112BT Top Loading, .30-06, .270

LONG ACTION FOLLOWER & SPRING

Long Action Follower & Spring



Attributes

- Name: [SAVAGE LONG ACTION FOLLOWER & SPRING](#)
- Manufacturer: [SAVAGE](#)
- Product no.: 855000289
- Mfr. No.: 106473
- Model: 110,111,112
- Weapon type: Savage Arms
- Delivery weight: 0.018kg
- Shipping height: 3mm
- Shipping width: 84mm
- Shipping length: 124mm

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [Long Action Follower & Spring Safety Instructions](#)
- [About Us](#)

Long Action Follower & Spring Safety Instructions

Introduction

Thank you for purchasing the Long Action Follower & Spring designed for Savage Arms models 110, 112, and 111. Your safety is our priority. Please read this safety instruction guide carefully to ensure proper use and maintenance of the product.

General Safety Guidelines

- Ensure that you are familiar with the operation and maintenance of firearms before using this product.
- Always follow the manufacturer's instructions and guidelines for your specific firearm model.
- Inspect the Long Action Follower & Spring for any damage before installation. Do not use if damaged.
- Use only with compatible Savage Arms models (110, 112, 111). Using this product with incompatible models may result in malfunction or injury.
- Store the Long Action Follower & Spring in a safe, dry place away from children and unauthorized users.
- Report any unsafe conditions or accidents involving this product to the appropriate authorities.

Specific Safety Precautions for Use

- Always handle firearms with care and treat every firearm as if it is loaded.
- Ensure that the firearm is pointed in a safe direction during installation.
- Keep fingers away from the trigger until you are ready to shoot.
- Wear appropriate eye and ear protection when using firearms.
- Do not modify the Long Action Follower & Spring or the firearm in any way that could affect safety or performance.
- If you are unsure about the installation or use of this product, seek assistance from a qualified gunsmith.

Instructions for Installation and Usage

1. Preparation

- Ensure the firearm is unloaded and in a safe condition.
- Gather necessary tools for installation (e.g., screwdriver, cleaning cloth).

2. Installation Steps

- Remove the magazine and check the chamber to ensure it is empty.
- Disassemble the firearm according to the manufacturer's instructions.
- Locate the area where the Long Action Follower & Spring will be installed.
- Carefully insert the Long Action Follower into the designated slot, ensuring it is properly aligned.
- Install the spring by placing it in the correct position as per the firearm's specifications.
- Reassemble the firearm following the manufacturer's instructions.

3. PostInstallation Check

- After installation, visually inspect the assembly to ensure everything is secure and correctly positioned.
- Conduct a function check to ensure that the firearm operates smoothly with the new follower and spring.

Disposal Instructions

- Dispose of the Long Action Follower & Spring in accordance with local regulations for firearm accessories.
- Do not dispose of the product in regular household waste.
- Consider recycling options if available in your area.

Contact Information for Further Support

For any inquiries or concerns regarding the Long Action Follower & Spring, please reach out to your local distributor or the manufacturer. Ensure that you have the product details and any relevant information ready for efficient assistance.

By following these safety instructions, you can help ensure a safe and enjoyable experience with your Long Action Follower & Spring. Always prioritize safety and seek professional assistance if needed. Thank you for choosing our product.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk