

# OPEN RED DOT SIGHT - TRUGLO MULTIPLE RETICLE/DUAL COLOR OPEN RED DOT SIGHT BLACK

[Optics & Mounting](#) > [Electronic Sights](#) > [Reflex Sights](#)

## Fast Sight Pickup, Wide Field Of View

These sights offer unlimited eye relief and a wide field of view, making them extremely versatile for sport, tactical, and hunting applications. Shock-resistant up to .50 caliber for reliable service on almost any firearm platform. Integral, weaver-style base on all models gives rock-solid mounting and easy installation. Water- and shock-resistant sights feature a tubeless design for maximum simplicity and minimal weight. Special lens coatings completely eliminate double dot and split images. Tru-Point model features a 4 MOA, red, aiming dot for quick sighting. Auto Mode uses a light-sensitive rheostat for automatic brightness control; Manual Mode overrides rheostat for fixed brightness when desired. Dial windage and elevation adjustment with locking screw for easy sight-in. Battery can be replaced without removing the sight from the mount. Protective cover activates Sleep-Mode to extend battery life. Multi-Reticle/Dual Color (MR/DC) model delivers maximum versatility with four different reticle settings: 10 MOA dot, 15 MOA peep, 3 MOA center dot, and standard crosshair. Offers dual-color, red or green illumination with five brightness settings in both colors. Precise 1 MOA click adjustments for windage and elevation. Does not feature automatic brightness control.



## Attributes

- Name: [TRUGLO MULTIPLE RETICLE/DUAL COLOR OPEN RED DOT SIGHT BLACK](#)
- Manufacturer: [TRUGLO](#)
- Product no.: 902000118
- Mfr. No.: TG-TG8360B
- Adjustment(s): 1 MOA (1" at 100 yds)
- Brightness Settings: 10 settings (5 red & 5 green)
- Click Value: 1 MOA
- Click Value: 1 MOA
- Dimensions: 82.04mm l (3.23")
- Eye Relief: Unlimited
- Magnification: 1x
- Mount: Weaver
- Power Supply: (1) CR 2032 Lithium battery
- Reticle: 10 MOA dot/ 15 MOA peep/ 3 MOA dot/ crosshair (red & green illumination)
- Weight: 4.4 oz
- Delivery weight: 0.204kg
- Shipping height: 28mm
- Shipping width: 150mm
- Shipping length: 211mm
- UPC: 788130020180

## Item details

US export classification: 0A504.c

# Table of Contents

- Startpage
- OPEN RED DOT SIGHT TRUGLO Safety Instruction Guide
- About Us

# OPEN RED DOT SIGHT TRUGLO Safety Instruction Guide

## Introduction

Thank you for choosing the OPEN RED DOT SIGHT TRUGLO. This guide provides essential safety instructions to ensure proper use and maintenance of your sight. Please read this manual carefully before using the product.

## General Safety Guidelines

- Ensure safe use of the sight by adhering to all safety instructions.
- Be aware of potential risks associated with the use of optical sights, especially in sport, tactical, and hunting applications.
- Always treat the sight as if it is loaded and ready to fire.
- Keep the sight out of reach of children and vulnerable individuals.
- Report any unsafe products or accidents to the appropriate authorities.
- Regularly check for recall updates on the EU's Safety Gate platform.

## Specific Safety Precautions for Use

- Always ensure that the firearm is unloaded before installing or adjusting the sight.
- Do not look directly at the sun through the sight, as this can cause permanent eye damage.
- Ensure the sight is securely mounted before use to prevent it from becoming dislodged during operation.
- Use the sight only on compatible firearm platforms as specified by the manufacturer.
- Regularly inspect the sight for signs of damage or wear, and do not use a damaged sight.
- Use the sight's protective cover when not in use to prevent scratches and damage.

## Instructions for Installation and Usage

### Installation

#### 1. Mounting the Sight:

- Use the integral, weaverstyle base to securely mount the sight on your firearm.
- Tighten the mounting screws firmly but avoid overtightening, which could damage the sight or firearm.

#### 2. Battery Installation:

- Replace the battery (1 CR2032 Lithium battery) by following the instructions provided in the package.
- Ensure the battery is installed with the correct polarity.

#### 3. Adjusting the Sight:

- Use the dial for windage and elevation adjustments, making 1 MOA (1 inch at 100 yards) clicks.
- Lock the adjustments in place using the locking screw.

### Usage

#### 1. Selecting Reticle:

- Choose from the available reticles: 10 MOA dot, 15 MOA peep, 3 MOA center dot, or standard

crosshair.

- Adjust the illumination to either red or green with five brightness settings for optimal visibility.

## 2. Auto and Manual Modes:

- Use Auto Mode for automatic brightness control based on ambient light.
- Switch to Manual Mode for fixed brightness settings as desired.

## 3. Safety Checks:

- Always perform a function check before heading out to ensure the sight operates correctly.

## Disposal Instructions

- Dispose of the sight and its components in accordance with local regulations.
- Remove the battery before disposal and recycle it according to local battery recycling guidelines.
- Do not dispose of the sight in household waste.

## Contact Information for Further Support

For any inquiries or support regarding the OPEN RED DOT SIGHT TRUGLO, please consult the manufacturer's website or customer service resources.

By following these safety instructions, you can ensure a safe and enjoyable experience with your OPEN RED DOT SIGHT TRUGLO. Always prioritize safety and be aware of your surroundings while using the sight.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)