

SAKO/TIKKA OPTILOCK RINGS 30MM X-LOW, STAINLESS



Attributes

- Name: [SAKO/TIKKA OPTILOCK RINGS 30MM X-LOW, STAINLESS](#)
- Manufacturer: [SAKO](#)
- Product no.: 913000204
- Mfr. No.: S130R929
- Finish: Stainless Steel
- Scope Tube Diameter: 30mm
- Size: Low
- Style: Tactical Rings
- Delivery weight: 0.113kg
- Shipping height: 18mm
- Shipping width: 86mm
- Shipping length: 160mm
- UPC: 082442807447

Table of Contents

- [Startpage](#)
- [SAKO/TIKKA Optilock Rings Safety Instructions](#)
- [About Us](#)

SAKO/TIKKA Optilock Rings Safety Instructions

Introduction

Thank you for choosing the SAKO/TIKKA OPTILOCK RINGS 30MM XLOW, STAINLESS. These rings are designed for secure scope mounting and enhanced shooting experience. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is to mount scopes on Sako firearms.
- Always inspect the rings before use for any signs of damage or wear.
- Store the rings in a dry and safe environment to prevent corrosion and damage.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe products or incidents to the appropriate authorities.

Specific Safety Precautions for Use

- When installing the rings, ensure they are properly aligned to prevent any misalignment of the scope.
- Do not exceed the recommended torque settings when tightening the screws to avoid damaging the rings or the firearm.
- Ensure that the scope is securely mounted before use to prevent it from loosening during shooting.
- If you notice any unusual movement or instability in the scope after installation, stop using the product and check the installation.
- Be aware of your surroundings and ensure a safe shooting environment when using firearms.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools for installation, including a torque wrench and appropriate screwdrivers.
- Ensure the firearm is unloaded and safe to handle.

2. Installation:

- Remove any existing rings or mounts from the firearm.
- Position the SAKO/TIKKA Optilock Rings on the scope rail of the firearm.
- Align the rings to ensure they are parallel and straight.
- Insert the screws and handtighten them to hold the rings in place.

3. Securing the Rings:

- Using a torque wrench, tighten the screws to the manufacturer's recommended torque settings (consult the product manual for specific values).
- Doublecheck the alignment and stability of the rings after tightening.

4. Mounting the Scope:

- Carefully place the scope into the rings.
- Adjust the scope's position for optimal eye relief and alignment.
- Secure the scope by tightening the ring screws gently, ensuring not to overtighten.

5. Final Checks:

- Inspect the installation to ensure everything is secure.

- Perform a function check by cycling the action of the firearm to ensure no interference with the scope.

Disposal Instructions

- Dispose of the product in accordance with local regulations for metal waste.
- Do not dispose of the product in household waste.
- If the product is damaged or no longer usable, consider recycling options where available.

Contact Information for Further Support

For any inquiries regarding safety, installation, or product performance, please consult the manufacturer's website or contact your local dealer. Ensure you have your product details on hand for a more efficient response.

Thank you for your attention to these safety instructions. Enjoy your SAKO/TIKKA Optilock Rings and enhance your shooting experience with confidence!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk