

MAXIMA GROOVED RECEIVER LINE FIXED RUGER RINGS - WARNE MFG. COMPANY RUGER #1, #3, 77/22, MINI 14/30, REDHAWK 1" HIGH MATTE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Maxima Grooved Receiver Line of scope mounts are designed to fill the need of mounting scopes to rifles with an integrated receiver mounting rail. Because each manufacturer has their own proprietary mounting rail design, each ring model must be machined to exacting tolerances for proper fit and function. The Maxima Grooved Receiver line fulfills that need. The precision CNC machined Warne rings provide unsurpassed strength, durability and quality, and fit a variety of rifle models including Ruger #1, Ruger 77, Mini 14 & 30, and Ruger Blackhawk and Redhawk. Maxima Fixed Rings are designed to be the strongest, most durable fixed mount system available. Typical steel scope mounts in this class use only 2 screws per ring, have a narrower clamping band and in most cases only absorb recoil in the front ring.



Attributes

- Name: [WARNE MFG. COMPANY RUGER #1, #3, 77/22, MINI 14/30, REDHAWK 1" HIGH MATTE](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000021
- Mfr. No.: 2RM
- Finish: Matte Blue
- Height: .535"
- Scope Tube Diameter: 1"
- Size: High
- Style: Ruger-Style Rings
- Delivery weight: 0.204kg
- UPC: 656813010776

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [MAXIMA GROOVED RECEIVER LINE FIXED RUGER RINGS Safety Instruction Guide](#)
- [About Us](#)

MAXIMA GROOVED RECEIVER LINE FIXED RUGER RINGS Safety Instruction Guide

Introduction

Thank you for choosing the Maxima Grooved Receiver Line Fixed Ruger Rings by Warne Manufacturing Company. This product is designed to securely mount scopes on various Ruger rifle models, ensuring optimal performance and safety. This safety instruction guide provides essential information to ensure safe usage, proper installation, and maintenance of the product in compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- **Product Safety:** Always ensure that the product is used as intended. Follow all instructions carefully to avoid any risks associated with improper use.
- **Enhanced Recalls:** Stay informed about any recalls by checking the EU Safety Gate platform. If you receive a recall notice, follow the instructions provided.
- **Online Shopping:** When purchasing online, ensure that the retailer complies with safety requirements. Verify that the product description matches the item received.
- **Special Consumer Focus:** This product is not intended for use by children. Keep all packaging materials and small parts away from children to prevent choking hazards.
- **EU Contact Point:** For any safety inquiries, please refer to the contact information provided by your retailer or manufacturer.
- **Rapid Alerts:** Be aware of any rapid alerts regarding unsafe products via the Safety Gate system. Report any unsafe products or accidents to the appropriate authorities.

Specific Safety Precautions for Use

- **Compatibility:** Ensure that the rings are compatible with your specific Ruger rifle model before installation.
- **Inspection:** Before each use, inspect the rings for any signs of wear, damage, or defects. Do not use if damaged.
- **Weight Limit:** Do not exceed the recommended weight limit for the scope being mounted. Refer to the manufacturer's specifications for guidance.
- **Secure Mounting:** Always ensure that the rings are securely mounted to prevent any movement during use, which can lead to misalignment or accidents.
- **Avoid Overtightening:** Do not overtighten screws during installation, as this may damage the rings or the rifle.
- **Proper Handling:** Handle the rings with care during installation and removal to avoid injury.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a torque wrench, screwdriver, and any additional equipment required for installation.
- Ensure that the rifle is unloaded and pointed in a safe direction.

2. Installation:

- Identify the mounting rail on your Ruger rifle.
- Align the Maxima Grooved Receiver Rings with the mounting rail, ensuring proper fit.
- Securely attach the rings using the screws provided.

- Use a torque wrench to tighten the screws to the manufacturer's recommended specifications. Avoid overtightening.

3. Scope Mounting:

- Place the scope into the rings and adjust it to the desired position.
- Secure the scope by tightening the ring screws evenly to ensure proper alignment.

4. Final Inspection:

- After installation, doublecheck all screws and connections to ensure everything is secure.
- Perform a function check to ensure the scope is mounted correctly and operates smoothly.

5. Usage:

- Always follow safe shooting practices when using your rifle. Ensure that you are in a safe environment and wear appropriate safety gear.

Disposal Instructions

- Dispose of packaging materials responsibly. Follow local regulations for recycling or disposing of packaging.
- If the product reaches the end of its life or is damaged beyond repair, dispose of it in accordance with local waste disposal regulations. Ensure that any metal components are recycled if possible.

Contact Information for Further Support

For further support, please refer to the contact information provided by your retailer or the manufacturer. It is important to reach out for assistance if you have any questions or concerns regarding the product.

Thank you for your attention to these safety instructions. Your safety and satisfaction are our top priorities. Enjoy using your Maxima Grooved Receiver Line Fixed Ruger Rings responsibly.

About Us

Brownells Europe

Brownells Europe - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

P.O.Box 4300
Warwick
CV34 9BR

www.brownells.eu