

MAXIMA GROOVED RECEIVER LINE FIXED RUGER RINGS - WARNE MFG. COMPANY RUGER #1, #3, 77/22, MINI 14/30, REDHAWK 30MM MED MATTE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Maxima Grooved Receiver Line of scope mounts are designed to fill the need of mounting scopes to rifles with an integrated receiver mounting rail. Because each manufacturer has their own proprietary mounting rail design, each ring model must be machined to exacting tolerances for proper fit and function. The Maxima Grooved Receiver line fulfills that need. The precision CNC machined Warne rings provide unsurpassed strength, durability and quality, and fit a variety of rifle models including Ruger #1, Ruger 77, Mini 14 & 30, and Ruger Blackhawk and Redhawk. Maxima Fixed Rings are designed to be the strongest, most durable fixed mount system available. Typical steel scope mounts in this class use only 2 screws per ring, have a narrower clamping band and in most cases only absorb recoil in the front ring.



Attributes

- Name: [WARNE MFG. COMPANY RUGER #1, #3, 77/22, MINI 14/30, REDHAWK 30MM MED MATTE](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000022
- Mfr. No.: 14RM
- Finish: Matte Black
- Height: Medium
- Scope Tube Diameter: 30mm
- Size: Medium
- Style: Ruger-Style Rings
- Delivery weight: 0.227kg
- Shipping height: 25mm
- Shipping width: 121mm
- Shipping length: 165mm
- UPC: 656813010547

Item details

Made in USA

Table of Contents

- Startpage
- MAXIMA GROOVED RECEIVER LINE FIXED RUGER RINGS SAFETY INSTRUCTION GUIDE
- About Us

MAXIMA GROOVED RECEIVER LINE FIXED RUGER RINGS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the Maxima Grooved Receiver Line Fixed Ruger Rings by Warne Mfg. Company. These scope rings are designed to provide a secure and reliable mounting solution for your rifle. This guide contains important safety instructions and information to ensure the safe use and installation of your product. Please read this guide carefully before use.

General Safety Guidelines

- Ensure that the product is appropriate for your specific rifle model, including Ruger #1, Ruger 77, Mini 14 & 30, and Ruger Blackhawk and Redhawk.
- Always inspect the scope rings for any signs of damage or wear before installation.
- Use only compatible scopes with a tube diameter of 30mm.
- Follow all manufacturer instructions for installation and usage to avoid accidents.
- Keep the product out of reach of children and vulnerable individuals.
- Report any unsafe conditions or accidents to the relevant authorities.

Specific Safety Precautions for Use

- Do not exceed the manufacturer's recommended torque specifications when tightening screws on the rings.
- Ensure that the scope is securely mounted before use to prevent it from becoming dislodged during operation.
- Avoid using the rings in extreme environmental conditions (e.g., excessive moisture, extreme temperatures) that may affect their performance.
- Regularly check the stability of the mounting system, especially after heavy use or transport.
- If you experience any unusual movement or instability while using the scope, stop using it immediately and inspect for issues.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a torque wrench, screwdrivers, and any additional tools specified in the installation instructions.
- Ensure that your work area is clean and free of debris.

2. Installation Steps

- Remove the existing scope rings if applicable.
- Align the Maxima Grooved Receiver Rings with the integrated receiver mounting rail on your rifle.
- Place the scope within the rings and adjust its position for optimal eye relief and alignment.
- Tighten the screws on the rings gradually, using a torque wrench to apply the recommended torque settings:
 - Medium Height: .460" (11.7mm)
 - High Height: .585" (14.9mm)
- Ensure that both rings are tightened evenly to maintain stability.

3. Final Checks

- Verify that the scope is securely mounted and does not move when gently shaken.
- Perform a visual inspection to ensure all screws are tight and that there are no gaps between the scope and the rings.

4. Usage

- Always handle the rifle with care, following standard firearm safety practices.
- Use the scope for its intended purpose and avoid any modifications that could compromise safety.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the product in household waste. Check for local recycling programs that accept metal components.

Contact Information for Further Support

For any questions or concerns regarding the Maxima Grooved Receiver Line Fixed Ruger Rings, please refer to the manufacturer's website or contact their customer support for assistance.

By following these safety instructions and guidelines, you can ensure the safe and effective use of your Maxima Grooved Receiver Line Fixed Ruger Rings. Thank you for your attention to safety, and enjoy your shooting experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk