

MAXIMA TIKKA RINGS - WARNE MFG. COMPANY 30MM HIGH MATTE BLACK QD TIKKA RINGS

Tikka rifles have a grooved receiver that allows for a dovetail ring to mount directly to it, negating the need for a base. Warne's Maxima Tikka rings are a solid steel, vertically split ring that handle even the most punishing recoil, or large, heavy scopes. The Tikka Quick Detach rings utilize 4 T-15 Torx style socket cap screws for secure and permanent optics mounting and also feature a redesigned recoil pin to provide a stronger bearing surface for higher recoiling rifles. Attaches to firearm's dovetail. Return to Zero Guaranteed, quickly detach and reattach the Maxima QD rings with no loss of zero. Tikka specific recoil pin for positive engagement of ring to receiver dovetail. Rings securely mount around scope using 4 Torx style T-15 socket cap screws.



Attributes

- Name: WARNE MFG. COMPANY 30MM HIGH MATTE BLACK QD TIKKA RINGS
- Manufacturer: WARNE MFG. COMPANY
- Product no.: 947000069
- Mfr. No.: 15TLM
- Finish: Matte Blue
- Height: .535"
- Scope Tube Diameter: 30mm
- Size: High
- Style: Quick-Release Rings
- Delivery weight: 0.204kg
- UPC: 656813012077

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: MAXIMA TIKKA RINGS WARNE MFG. COMPANY Safety Instruction Guide](#)
- [Český: MAXIMA TIKKA RINGS WARNE MFG. COMPANY Bezpečnostní pokyny](#)

MAXIMA TIKKA RINGS WARNE MFG. COMPANY

Safety Instruction Guide

Introduction

Thank you for choosing the MAXIMA TIKKA RINGS by WARNE MFG. COMPANY. These highquality scope rings are designed for Tikka rifles, providing secure mounting for your optics. To ensure safe and effective use of this product, please read and follow the safety instructions outlined in this guide.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Always check for any visible damage before installation. Do not use if damaged.
- Keep the product out of reach of children and vulnerable individuals.
- Familiarize yourself with the installation and usage instructions before proceeding.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about recalls and safety updates via the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Always use the MAXIMA TIKKA RINGS with compatible Tikka rifles.
- Ensure that the scope you are mounting is within the weight limit specified by the manufacturer.
- When attaching or detaching the rings, make sure the firearm is unloaded and pointed in a safe direction.
- Do not overtighten the screws; follow the recommended torque settings to avoid damaging the rings or the rifle.
- Regularly inspect the rings and screws for signs of wear or loosening.
- If you experience any issues with the rings, discontinue use immediately and consult a professional.

Instructions for Installation and Usage

1. Gather Required Tools

- T15 Torx screwdriver
- Clean cloth for wiping surfaces

2. Prepare the Firearm

- Ensure the firearm is unloaded.
- Point the firearm in a safe direction.

3. Install the Rings

- Align the rings with the dovetail on the Tikka receiver.
- Insert the T15 Torx screws into the ring bases.
- Tighten the screws gradually in a crisscross pattern to ensure even pressure.

4. Attach the Scope

- Place the scope into the rings.
- Adjust the position of the scope as needed for optimal eye relief.
- Secure the scope by tightening the rings using the T15 Torx screws.

5. Final Checks

- Doublecheck that all screws are tightened to the recommended torque settings.
- Ensure that the scope is securely mounted and does not shift.

6. Return to Zero

- If you need to detach the rings, remember that the MAXIMA QD rings are designed to return to zero when reattached.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of in household waste.
- Contact local waste management authorities for guidance on proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the MAXIMA TIKKA RINGS, please consult your retailer or the manufacturer's website for additional support and information.

Thank you for your attention to these safety instructions. Enjoy your shooting experience with the MAXIMA TIKKA RINGS!

MAXIMA TIKKA RINGS WARNE MFG. COMPANY

Bezpečnostní pokyny

Úvod

Děkujeme, že jste si vybrali MAXIMA TIKKA RINGS od společnosti WARNE MFG. COMPANY. Tyto vysoce kvalitní kroužky na puškohled jsou navrženy pro pušky Tikka a poskytují bezpečné upevnění pro vaše optiky. Aby bylo zajištěno bezpečné a efektivní používání tohoto produktu, pečlivě si přečtěte a dodržujte bezpečnostní pokyny uvedené v této příručce.

Obecné bezpečnostní pokyny

- Zajistěte, aby byl produkt používán pouze k určenému účelu.
- Před instalací vždy zkontrolujte, zda nedošlo k viditelnému poškození. Nepoužívejte, pokud je poškozený.
- Uchovávejte produkt mimo dosah dětí a zranitelných osob.
- Seznamte se s pokyny pro instalaci a používání před pokračováním.
- Hlaste jakékoli nebezpečné produkty nebo nehody příslušným orgánům.
- Sledujte aktualizace o stažení výrobků a bezpečnostní informace prostřednictvím platformy Safety Gate EU.

Specifické bezpečnostní opatření při používání

- Vždy používejte MAXIMA TIKKA RINGS s kompatibilními puškami Tikka.
- Ujistěte se, že optika, kterou montujete, je v rámci hmotnostního limitu stanoveného výrobcem.
- Při připevňování nebo odpojování kroužků se ujistěte, že je zbraň vybitá a směřuje bezpečným směrem.
- Nepřetahujte šrouby; dodržujte doporučené hodnoty utahovacího momentu, abyste se vyhnuli poškození kroužků nebo pušky.
- Pravidelně kontrolujte kroužky a šrouby na známky opotřebení nebo uvolnění.
- Pokud narazíte na jakékoli problémy s kroužky, okamžitě přestaňte používat a poradte se s odborníkem.

Pokyny pro instalaci a používání

1. Shromážděte potřebné nástroje

- Šroubovák T15 Torx
- Čistý hadřík na otření povrchů

2. Připravte zbraň

- Ujistěte se, že je zbraň vybitá.
- Směřujte zbraň bezpečným směrem.

3. Nainstalujte kroužky

- Zarovnejte kroužky s dovetail na závěru Tikka.
- Vložte šrouby T15 Torx do základny kroužků.
- Šrouby utahujte postupně v křížovém vzoru, abyste zajistili rovnoměrný tlak.

4. Připevněte puškohled

- Umístěte puškohled do kroužků.
- Upravte polohu puškohledu podle potřeby pro optimální vzdálenost očí.
- Zajistěte puškohled utažením kroužků pomocí šroubů T15 Torx.

5. Konečné kontroly

- Zkontrolujte, zda jsou všechny šrouby utaženy na doporučené hodnoty utahovacího momentu.
- Ujistěte se, že je puškohled bezpečně upevněn a nepohybuje se.

6. Návrat k nule

- Pokud potřebujete kroužky odpojit, pamatujte, že MAXIMA QD kroužky jsou navrženy tak, aby se při opětovném připojení vrátily k nule.

Pokyny pro likvidaci

- Likvidujte produkt v souladu s místními předpisy.
- Nevyhazujte do domácího odpadu.
- Kontaktujte místní úřady pro nakládání s odpady pro pokyny ohledně správných metod likvidace.

Kontakt pro další podporu

Pokud máte jakékoli dotazy nebo obavy ohledně MAXIMA TIKKA RINGS, obraťte se na svého prodejce nebo navštivte webové stránky výrobce pro další podporu a informace.

Děkujeme vám za pozornost k těmto bezpečnostním pokynům. Užijte si svou střeleckou zkušenost s MAXIMA TIKKA RINGS!