

X-SKEL MOUNTS - 1" ULTRA HIGH (1.435") 0 MOA MOUNT, BLUE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Warne Scope Mounts is excited to introduce their second generation SKEL mount, the X-SKEL. This new MSR mount offers an additional 1" of forward cantilever, and 1 piece clamp design for added strength. The rugged, lightweight design of the X-SKEL maintains our famous Return to Zero capability, and utilizes 1/2" hex nuts for rock solid attachment. It features a skeletonized ring body and caps for reduced weight and steel threaded cap inserts for maximum durability. The X-SKEL places your optic at the IDEAL HEIGHT with a generous cantilever for proper eye relief, it will easily accommodate the longer eyepieces found on many of today's scopes. Lightweight, skeletonized aluminum body and caps to reduce overall weight without sacrificing reliability. #8 Torx style fasteners with steel threaded inserts to prevent stripping. Additional 1 Inch cantilever forward design to provide additional eye relief. Places your optic at the Ideal Height for MSR and similar platforms. 1/2" tactical nut attachment, 65 in/lb. of torque is recommended.



Attributes

- Name: [1" ULTRA HIGH \(1.435"\) 0 MOA MOUNT, BLUE](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000376
- Mfr. No.: XSKEL1BU
- Elevation: -
- Finish: Blue
- Height: -
- Scope Tube Diameter: 1"
- Style: 3-Gun, Competition
- Delivery weight: 0.252kg
- Shipping height: 25mm
- Shipping width: 165mm
- Shipping length: 184mm
- UPC: 656813104796

Item details

Made in USA

Table of Contents

- Startpage
- XSKELETON MOUNTS 1" ULTRA HIGH (1.435") 0 MOA MOUNT, BLUE
- About Us

XSKELE MOUNTS 1" ULTRA HIGH (1.435") 0 MOA MOUNT, BLUE

Safety Instruction Guide

Introduction

Thank you for choosing the XSKELE MOUNTS 1" ULTRA HIGH (1.435") 0 MOA MOUNT, BLUE by Warne Scope Mounts. This guide provides important safety instructions and usage information to ensure the safe and effective use of your new mount. Please read this guide thoroughly before installation and use.

General Safety Guidelines

- Ensure that the mount is compatible with your optic and firearm before installation.
- Always follow local laws and regulations regarding the use of firearm accessories.
- Inspect the mount for any signs of damage or wear before each use. Do not use if damaged.
- Keep the mount and any related equipment out of reach of children.
- Report any unsafe products or accidents to the appropriate authorities.
- Check for recall updates on the EU's Safety Gate platform.

Specific Safety Precautions for Use

- **Installation Safety:** Use the right tools as indicated in the installation instructions. Improper tools can lead to injury or damage.
- **Torque Specifications:** Adhere to the recommended torque of 65 in/lb. when attaching the mount to ensure it is securely fastened.
- **Eye Relief:** Ensure that the optic is positioned to provide proper eye relief to avoid injury during use.
- **Material Safety:** The mount is made from lightweight aluminum and steel. Avoid exposure to corrosive environments to maintain integrity.
- **Weight Restrictions:** Do not exceed the weight limit of the mount as specified by the manufacturer to prevent failure.

Instructions for Installation and Usage

1. Preparation:

- Gather necessary tools: ½" hex nuts and #8 Torx style fasteners.
- Ensure the mounting surface is clean and free of debris.

2. Installation Steps:

- Align the mount with the rail on your firearm.
- Secure the mount using the provided #8 Torx style fasteners.
- Tighten to the recommended torque of 65 in/lb. using a torque wrench.
- Attach your optic to the mount following the optic manufacturer's instructions.

3. Usage:

- Before use, check the stability of the mount and optic.
- Ensure that the optic is properly zeroed for accurate aiming.
- Regularly inspect the mount and optic for any signs of loosening or damage.

Disposal Instructions

- Dispose of the mount and packaging materials in accordance with local regulations.

- Do not dispose of in household waste. Check for recycling options for metal and plastic components.

Contact Information for Further Support

For any questions regarding the XSKELE MOUNTS 1" ULTRA HIGH (1.435") 0 MOA MOUNT, BLUE or for further assistance, please refer to the manufacturer's contact information provided with your product packaging.

By following these guidelines, you can ensure safe and effective use of your XSKELE mount. Thank you for prioritizing safety and compliance with EU General Product Safety Regulation.

About Us

Brownells Česká republika

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.cz