

# X-SKEL MOUNTS - WARNE MFG. COMPANY 30MM ULTRA HIGH (1.435") 0 MOA MOUNT, BLUE

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Mount Sets](#)

Warne Scope Mounts is excited to introduce their second generation SKEL mount, the X-SKEL. This new MSR mount offers an additional 1" of forward cantilever, and 1 piece clamp design for added strength. The rugged, lightweight design of the X-SKEL maintains our famous Return to Zero capability, and utilizes ½" hex nuts for rock solid attachment. It features a skeletonized ring body and caps for reduced weight and steel threaded cap inserts for maximum durability. The X-SKEL places your optic at the IDEAL HEIGHT with a generous cantilever for proper eye relief, it will easily accommodate the longer eyepieces found on many of today's scopes. Lightweight, skeletonized aluminum body and caps to reduce overall weight without sacrificing reliability. #8 Torx style fasteners with steel threaded inserts to prevent stripping. Additional 1 Inch cantilever forward design to provide additional eye relief. Places your optic at the Ideal Height for MSR and similar platforms. 1/2" tactical nut attachment, 65 in/lb. of torque is recommended.



## Attributes

- Name: [WARNE MFG. COMPANY 30MM ULTRA HIGH \(1.435"\) 0 MOA MOUNT, BLUE](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947000381
- Mfr. No.: XSKEL30BU
- Elevation: -
- Finish: Blue
- Height: -
- Scope Tube Diameter: 30mm
- Style: 3-Gun, Competition
- Delivery weight: 0.181kg
- Shipping height: 8mm
- Shipping width: 157mm
- Shipping length: 183mm
- UPC: 656813104857

## Item details

Made in USA

# Table of Contents

- [Startpage](#)
- [Safety Instruction Guide for XSKEL MOUNTS WARNE MFG. COMPANY 30MM ULTRA HIGH \(1.435"\) 0 MOA MOUNT, BLUE](#)
- [About Us](#)

# **Safety Instruction Guide for XSKEL MOUNTS WARNE MFG. COMPANY 30MM ULTRA HIGH (1.435") 0 MOA MOUNT, BLUE**

## **Introduction**

Thank you for choosing the XSKEL Mount from Warne Scope Mounts. This guide provides important safety information and instructions for the proper use and installation of your new mount. Please read this guide carefully to ensure safe and effective operation.

## **General Safety Guidelines**

- Ensure that the mount is compatible with your scope and firearm before installation.
- Always handle firearms and related accessories with care and in accordance with local laws and regulations.
- Regularly inspect the mount for any signs of wear or damage before each use.
- Do not exceed the recommended torque specifications during installation.
- Keep the mount and all accessories out of reach of children and vulnerable individuals.

## **Specific Safety Precautions for Use**

- Use only the recommended tools for installation to avoid damaging the mount or your scope.
- Avoid using the mount in extreme weather conditions that could affect its performance.
- Ensure that the mount is securely attached to the firearm before use to prevent accidents.
- Be aware of your surroundings when using the firearm to ensure safety for yourself and others.

## **Instructions for Installation and Usage**

### **1. Preparation:**

- Gather all necessary tools, including a ½" tactical nut attachment and a #8 Torx screwdriver.
- Ensure your workspace is clean and welllit.

### **2. Installation Steps:**

- Align the mount with the scope base on your firearm.
- Insert the ½" tactical nut and tighten it to the recommended torque of 65 in/lb.
- Use the #8 Torx fasteners to secure the mount. Ensure they are tightened firmly but do not overtighten to avoid stripping.
- Check the alignment and stability of the mount before attaching your optic.

### **3. Usage:**

- Once installed, place your optic in the mount and ensure it is securely fastened.
- Adjust the cantilever to achieve the ideal height for eye relief.
- Regularly check the mount and optic for any signs of loosening or wear during use.

## **Disposal Instructions**

- Dispose of the mount and any packaging materials in accordance with local regulations.
- Do not dispose of the mount in household waste if it contains hazardous materials.
- Recycle any metal components where possible.

## **Contact Information for Further Support**

For any inquiries or concerns regarding the safety and performance of your XSKEL Mount, please refer to the manufacturer's contact information provided separately.

This safety instruction guide is designed to ensure that you have a safe and enjoyable experience with your XSKEL Mount. Always prioritize safety and adhere to the guidelines outlined in this document. Thank you for your attention to these important safety measures.

# About Us

## Brownells UK

### **Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories**

Unit 1, Laughing Dog Industrial Estate  
London Road  
Rugby  
Warwickshire  
CV23 9LP

[www.brownells.co.uk](http://www.brownells.co.uk)