

MAXIMA FIXED RINGS - 36MM MEDIUM (1.084") FIXED RINGS, BLACK

Maxima Fixed Rings are designed to be the strongest, most durable fixed mount system available. Typical steel scope mounts in this class use only 2 screws per ring, have a narrower clamping band and in most cases only absorb recoil in the front ring. Maxima Fixed rings utilize 4 T-15 Torx style socket cap screws for secure optics mounting. The Maxima Fixed series fit Weaver style cross slot bases and incorporate a Warne square stainless steel recoil control key in both the front and rear rings. This ensures a "no slip" positive recoil surface across the entire slot of the base and is capable of withstanding the heaviest of recoil. The Maxima square recoil key also protects against swaging or peening of the base when used on softer or less durable materials. The Maxima Fixed ring band width is also substantially wider which offers more ring to scope clamping area to hold the optics firmly in place. The Maxima Fixed Rings are available in a durable DuPont power coat finish in either gloss or matte black and also an electroless silver nickel finish. Warne Maxima scope rings are designed to fit Warne bases as well as all Weaver cross slot and Mil-Spec Picatinny style bases and rails.



Attributes

- Name: 36MM MEDIUM (1.084") FIXED RINGS, BLACK
- Manufacturer: WARNE MFG. COMPANY
- Product no.: 947000622
- Mfr. No.: 231M
- Delivery weight: 0.2kg
- Shipping height: 38mm
- Shipping width: 121mm
- Shipping length: 165mm
- UPC: 656813105939

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: MAXIMA FIXED RINGS 36MM MEDIUM \(1.084"\) FIXED RINGS, BLACK Safety Instruction Guide](#)
- [Český: Návod k použití a bezpečnostní pokyny pro MAXIMA FIXED RINGS WARNE MFG. COMPANY 36MM](#)

MAXIMA FIXED RINGS 36MM MEDIUM (1.084") FIXED RINGS, BLACK Safety Instruction Guide

Introduction

Thank you for choosing the MAXIMA FIXED RINGS. This safety instruction guide provides essential information to ensure the safe use and installation of your product. Please read this guide carefully before using the fixed rings.

General Safety Guidelines

- Ensure that the fixed rings are compatible with your scope and mounting base.
- Always inspect the product for any signs of damage or wear before use.
- Keep the product out of reach of children and vulnerable individuals.
- In case of any malfunction or damage, discontinue use immediately and seek assistance.

Specific Safety Precautions for Use

- **Installation Safety:**
 - Use appropriate tools when installing the rings. A T15 Torx style socket cap screw is recommended.
 - Ensure that all screws are tightened securely to prevent any movement during use.
- **Recoil Management:**
 - Ensure that the recoil control key is properly installed to prevent slippage during recoil.
 - Be aware that improper installation can lead to damage to your scope or firearm.
- **Material Compatibility:**
 - Ensure that the mounting base is compatible with the materials of the fixed rings to avoid potential damage.
 - Avoid using the fixed rings on softer materials that may not withstand the recoil.

Instructions for Installation and Usage

1. **Preparation:**
 - Gather all necessary tools, including a T15 Torx screwdriver.
 - Ensure that the firearm is unloaded and safe to work on.
2. **Mounting the Fixed Rings:**
 - Place the fixed rings onto the Weaver style cross slot base.
 - Align the Warne square stainless steel recoil control key in both the front and rear rings.
3. **Securing the Rings:**
 - Insert the T15 Torx screws into each ring.
 - Tighten each screw evenly to secure the rings in place. Ensure that the screws are not overtightened to avoid damaging the rings or base.
4. **Attaching the Scope:**
 - Carefully place your scope into the fixed rings.
 - Adjust the position of the scope to your desired eye relief.
5. **Final Checks:**
 - Doublecheck that all screws are tightened and the scope is securely mounted.
 - Perform a function check to ensure the setup is stable and secure.

Disposal Instructions

- Dispose of any packaging materials in accordance with local regulations.
- If the fixed rings are no longer usable, dispose of them in a manner that is environmentally friendly.
- Do not dispose of the product in household waste. Check for local recycling facilities that accept metal components.

Contact Information for Further Support

For any safety inquiries or product support, please refer to the manufacturer's contact information provided on the packaging or visit the manufacturer's website.

Please remember that safety is paramount when using firearm accessories. By following these guidelines, you can ensure a safe and enjoyable experience with your MAXIMA FIXED RINGS.

Návod k použití a bezpečnostní pokyny pro MAXIMA FIXED RINGS WARNE MFG. COMPANY 36MM

Úvod

Děkujeme, že jste si zakoupili Maxima Fixed Rings od společnosti Warne MFG. Company. Tento produkt byl navržen tak, aby poskytoval maximální bezpečnost a spolehlivost při montáži optiky na vaše pušky. Abychom zajistili vaši bezpečnost a správné používání produktu, prosím, pečlivě si přečtěte následující bezpečnostní pokyny a instrukce.

Obecné bezpečnostní pokyny

- Před použitím produktu si důkladně přečtěte všechny pokyny a doporučení.
- Zkontrolujte, zda jsou všechny součásti produktu nepoškozené a správně namontované.
- Udržujte výrobek mimo dosah dětí a zranitelných osob.
- Nepoužívejte produkt, pokud je poškozen nebo vykazuje známky opotřebení.
- Při montáži a používání výrobku dodržujte všechny místní zákony a předpisy týkající se používání zbraní.

Specifické bezpečnostní opatření pro použití

- Při upevnění optiky pomocí Maxima Fixed Rings používejte pouze doporučené šrouby typu T15 Torx.
- Ujistěte se, že jsou všechny šrouby pevně utaženy, aby se zabránilo uvolnění optiky během používání.
- Při montáži na základny typu Weaver dbejte na správné umístění a zarovnání kroužků.
- Neprovádějte žádné úpravy na produktu, které by mohly ovlivnit jeho bezpečnost nebo funkčnost.
- Při používání výrobku dodržujte pokyny výrobce ohledně maximálního zatížení a zpětného rázu.

Pokyny pro instalaci a používání

1. **Příprava:** Před instalací se ujistěte, že máte všechny potřebné nástroje, včetně šroubováku T15 Torx.
2. **Montáž:**
 - Umístěte Maxima Fixed Rings na základnu typu Weaver.
 - Ujistěte se, že jsou kroužky správně zarovnány a umístěny na požadovaném místě.
 - Pomocí šroubů typu T15 Torx pevně utáhněte kroužky na základně.
3. **Kontrola:**
 - Po instalaci zkontrolujte, zda jsou všechny šrouby pevně utaženy.
 - Zkontrolujte, zda optika bezpečně sedí v kroužcích a je stabilní.
4. **Použití:**
 - Při používání pušky dbejte na bezpečnostní pokyny a pravidla pro manipulaci se zbraněmi.

Pokyny pro likvidaci

- Při likvidaci produktu se řiďte místními předpisy o odpadu.
- Nepokládejte výrobek do běžného odpadu, pokud obsahuje nebezpečné materiály.
- Zvažte recyklaci součástí, pokud to je možné.

Kontaktní informace pro další podporu

Pokud máte jakékoli dotazy nebo potřebujete další informace, doporučujeme se obrátit na výrobce nebo autorizovaného prodejce.

Děkujeme, že jste si vybrali Maxima Fixed Rings. Vaše bezpečnost je pro nás prioritou, proto prosím dodržujte všechny pokyny a doporučení pro bezpečné používání tohoto produktu.