

SUPER HIGH 1.9" 34MM MSR MOUNT - 34MM SUPER HIGH (1.90") 0 MOA MOUNT, DARK EARTH

Warne Scope Mounts is excited to introduce their second generation SKEL mount, the X-SKEL. This new MSR mount offers an additional 1" of forward cantilever, and 1 piece clamp design for added strength. The rugged, lightweight design of the X-SKEL maintains our famous Return to Zero capability, and utilizes ½" hex nuts for rock solid attachment. It features a skeletonized ring body and caps for reduced weight and steel threaded cap inserts for maximum durability. The X-SKEL places your optic 1.9" Super High height with a generous cantilever for proper eye relief, it will easily accommodate the longer eyepieces found on many of today's scopes. Lightweight, skeletonized aluminum body and caps to reduce overall weight without sacrificing reliability. #8 Torx style fasteners with steel threaded inserts to prevent stripping. Additional 1 Inch cantilever forward design to provide additional eye relief. Places your optic 1.9" Super High height for MSR and similar platforms. 1/2" tactical nut attachment, 65 in/lb. of torque is recommended.



Attributes

- Name: 34MM SUPER HIGH (1.90") 0 MOA MOUNT, DARK EARTH
- Manufacturer: WARNE MFG. COMPANY
- Product no.: 947000747
- Mfr. No.: SHXSKEL34DE
- Color: Dark Earth
- Elevation: 0 MOA
- Style: Picatinny
- UPC: 656813106912

Item details

Made in USA

Table of Contents

- [Startpage](#)
- [English: SUPER HIGH 1.9" 34MM MSR MOUNT Safety Instructions](#)
- [Český: Návod na bezpečné používání montáže SUPER HIGH 1.9" 34MM MSR](#)

SUPER HIGH 1.9" 34MM MSR MOUNT Safety Instructions

Introduction

Thank you for choosing the SUPER HIGH 1.9" 34MM MSR MOUNT. This product is designed to enhance your shooting experience while ensuring safety and reliability. Please read this safety instruction guide carefully to understand how to use the mount properly and safely.

General Safety Guidelines

- Ensure that the mount is compatible with your optic and firearm before installation.
- Always inspect the mount for any signs of damage or wear before use.
- Keep the mount and all related equipment out of reach of children.
- Follow all local laws and regulations regarding firearm accessories.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay updated on product recalls through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Use the mount only for its intended purpose as specified in this guide.
- Do not exceed the recommended torque of 65 in/lb during installation.
- Ensure that the mount is securely attached before using the firearm.
- Avoid using the mount in extreme conditions that may affect its performance.
- Regularly check the mount for tightness and integrity, especially after heavy use.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools, including a ½" hex wrench and #8 Torx style fasteners.
- Ensure that the firearm is unloaded and pointed in a safe direction before beginning installation.

2. Installation Steps

- Align the mount with the Picatinny rail on your firearm.
- Attach the mount using the provided #8 Torx style fasteners.
- Tighten the fasteners to the recommended torque of 65 in/lb to ensure a secure fit.
- Check that the mount is stable and does not move when pulled.

3. Usage Guidelines

- Once installed, place your optic in the mount and adjust for proper eye relief.
- Ensure that the optic is securely fastened and does not shift during use.
- Regularly inspect the mount and optic for any signs of wear or damage.

Disposal Instructions

- Dispose of the mount and any packaging materials in accordance with local regulations.
- Do not dispose of the mount in regular household waste if it is damaged or contains hazardous materials.
- Consider recycling materials where possible to minimize environmental impact.

Contact Information for Further Support

For any questions or concerns regarding the SUPER HIGH 1.9" 34MM MSR MOUNT, please consult the manufacturer's website or customer support resources. Ensure you have your product details handy when seeking assistance.

Thank you for prioritizing safety while using the SUPER HIGH 1.9" 34MM MSR MOUNT. Enjoy your shooting experience!

Návod na bezpečné používání montáže SUPER HIGH 1.9" 34MM MSR

Úvod

Děkujeme, že jste si zakoupili montáž SUPER HIGH 1.9" 34MM od společnosti Warne MFG. Company. Tento produkt byl navržen tak, aby poskytoval bezpečné a spolehlivé upevnění pro vaše optické přístroje. Před použitím si prosím důkladně přečtěte následující bezpečnostní pokyny a instrukce.

Obecné bezpečnostní pokyny

- Ujistěte se, že výrobek používáte pouze k určenému účelu.
- Dodržujte všechny pokyny uvedené v tomto manuálu.
- Před použitím výrobku zkontrolujte, zda nejsou žádné viditelné poškození.
- Nikdy nepoužívejte výrobek, pokud je poškozený nebo neúplný.
- Udržujte výrobek mimo dosah dětí a zranitelných osob.
- Při používání výrobku dodržujte místní zákony a předpisy.

Specifické bezpečnostní opatření při používání

- Při instalaci montáže se ujistěte, že je upevněna pevně a bezpečně.
- Používejte dodané šrouby a matice, abyste zajistili správné uchycení.
- Při manipulaci s optickými přístroji buďte opatrní, abyste předešli zranění.
- Vyhněte se kontaktu s ostrými hranami nebo částmi výrobku, které by mohly způsobit zranění.

Pokyny pro instalaci a používání

1. Příprava:

- Zkontrolujte, zda máte všechny potřebné nástroje, včetně šroubováku Torx a ½" matice.
- Ujistěte se, že máte čisté pracovní místo.

2. Instalace:

- Umístěte montáž na požadované místo na vaší zbrani.
- Použijte šrouby typu #8 Torx k upevnění montáže.
- Ujistěte se, že je montáž pevně uchycena a že nedochází k žádnému pohybu.
- Doporučený točivý moment pro připojení je 65 in/lb.

3. Používání:

- Před použitím optického přístroje se ujistěte, že je správně nastaven a upevněn.
- Kontrolujte montáž pravidelně, abyste se ujistili, že je v dobrém stavu a že se nic neuvolnilo.

Pokyny pro likvidaci

- Při likvidaci výrobku se ujistěte, že dodržujete místní předpisy o odpadech.
- Nepalte výrobek, protože může uvolňovat škodlivé látky.
- Pokud je výrobek poškozený, zlikvidujte jej v souladu s pokyny pro nebezpečný odpad.

Kontaktní informace pro další podporu

V případě dotazů nebo potřebě další podpory se obraťte na oficiální kontaktní místa společnosti Warne MFG. Company. Ujistěte se, že máte při kontaktu k dispozici číslo výrobku a další relevantní informace.

Děkujeme za vaši pozornost a přejeme vám bezpečné a příjemné používání montáže SUPER HIGH 1.9" 34MM MSR.