

MAXIMA QUICK DETACH RINGS - WARNE MFG. COMPANY 1" LOW (0.25") QD RINGS BLACK

[Optics & Mounting](#) > [Rings, Mounts & Bases](#) > [Scope Rings](#)

Strong, All-Steel With Adjustable Levers; Fit Weaver-Style Bases

Maxima Quick Detach Rings are the most durable and versatile quick detachable mounting system available. Each ring is precision CNC machined from sintered steel technology, a process that allows intricate steel parts to be formed and then fired - retaining the strength properties of steel while adding the necessary ductility that scope mounts require for perfect grip contact around the circumference of the scope. The Maxima QD rings sport the unique Warne indexable lever system which allows the user to remove the optics from the rifle then reattach it without the loss of zero, as well as allowing the location of the lever to be indexed once the rings are affixed to the bases.

After the levers are tightened, simply pull out on the lever, turn it to the desired location then let it snap into place. When used on the all steel Warne Maxima bases, we guarantee accuracy of within 1/1000th of an inch when removing and reattaching the optics. Unique to the industry, the Maxima QD has a square stainless steel recoil control key. This ensures a positive recoil engagement surface across the full width and depth of the recoil slot in the base. The recoil control key guarantees the position of the rings will not shift or move under fierce recoil and also protects against peening or swaging when mounted on aluminum bases. Warne Maxima scope rings are designed to fit Warne bases as well as all Weaver cross slot and Mil-Spec Picatinny style bases and rails. Finally, the Maxima QD rings are finished with either a durable DuPont powder coat in matte or gloss black, or electroless nickel finished for a stainless steel look. Warne Maxima rings are then assembled with 4 quality Torx style T-15 socket cap screws.



Attributes

- Name: [WARNE MFG. COMPANY 1" LOW \(0.25"\) QD RINGS BLACK](#)
- Manufacturer: [WARNE MFG. COMPANY](#)
- Product no.: 947623000
- Mfr. No.: 200LM
- Finish: Matte Blue
- Height: .250"
- Scope Tube Diameter: 1"
- Size: Low
- Style: Weaver-Style Rings
- Delivery weight: 0.136kg
- Shipping height: 23mm
- Shipping width: 109mm
- Shipping length: 142mm
- UPC: 656813000289

Item details

Made in USA

Table of Contents

- Startpage
- MAXIMA QUICK DETACH RINGS SAFETY INSTRUCTION GUIDE
- About Us

MAXIMA QUICK DETACH RINGS SAFETY INSTRUCTION GUIDE

Introduction

Thank you for choosing the Maxima Quick Detach Rings by Warne Mfg. Company. These rings are designed to provide a durable and versatile mounting solution for your optics. To ensure safe and effective use, please read this safety instruction guide carefully.

General Safety Guidelines

- Product Safety: Ensure that the Maxima Quick Detach Rings are used in accordance with the instructions provided to prevent any potential hazards.
- Enhanced Recalls: Stay informed about any recalls or safety notices related to this product through official channels.
- Online Shopping: If purchased online, ensure that the seller complies with safety regulations and provides necessary product information.
- Special Consumer Focus: These rings are not intended for use by children without adult supervision. Always ensure that children are kept away from firearms and related accessories.
- EU Contact Point: For any safety inquiries, please refer to the manufacturer's guidelines or official EU resources.
- Rapid Alerts: Regularly check the EU's Safety Gate platform for updates on product safety and recalls.

Specific Safety Precautions for Use

- Before use, inspect the rings for any signs of damage or wear. Do not use if any parts are damaged.
- Ensure that the rings are compatible with your scope and rifle before installation.
- Always follow the installation instructions precisely to avoid improper mounting that could lead to accidents.
- Never attempt to modify or alter the rings, as this can compromise their safety and effectiveness.
- Store the rings in a dry and safe place when not in use, away from children and unauthorized users.
- When removing or reattaching the optics, do so in a safe environment where the firearm is pointed in a safe direction.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary tools, including a Torx T15 screwdriver.
- Ensure that your rifle is unloaded and pointed in a safe direction.

2. Installation:

- Place the Maxima Quick Detach Rings onto the Warne bases or compatible rails.
- Align the rings with the scope tube, ensuring they are positioned correctly for optimal performance.
- Using the Torx T15 socket cap screws, tighten the rings securely onto the bases. Ensure they are snug but do not overtighten to avoid damaging the rings or the base.

3. Lever Adjustment:

- After securing the rings, pull out on the lever and turn it to the desired location.
- Let the lever snap back into place to ensure it is properly indexed.

4. Final Check:

- Inspect the installation to ensure the scope is securely mounted and that the rings are not shifting.
- Confirm that the optics retain zero after installation.

5. Usage:

- Always handle your firearm responsibly and in accordance with local laws and regulations.
- Regularly check the tightness of the rings and the condition of the scope during use.

Disposal Instructions

- Dispose of the Maxima Quick Detach Rings in accordance with local regulations for metal products.
- Do not dispose of in regular household waste. Instead, take to a recycling facility that accepts metal products.

Contact Information for Further Support

For any questions or concerns regarding the Maxima Quick Detach Rings, please refer to the manufacturer's guidelines or visit their official website for support and additional information.

By following these safety instructions, you can ensure the safe and effective use of your Maxima Quick Detach Rings. Thank you for prioritizing safety and responsible firearm handling.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk