

RIFLE BEAD 1/16" MEDIUM FRONT SIGHT - .312" BEAD 1/16" MEDIUM FRONT SIGHT BRASS GOLD

[Rifle Parts](#) > [Sights](#) > [Front Sights](#)

Thin, streamlined, almost invisible blade with a machined bead gives a crisp, highly visible sight picture.



Attributes

- Name: [.312" BEAD 1/16" MEDIUM FRONT SIGHT BRASS GOLD](#)
- Manufacturer: [WILLIAMS GUN SIGHT](#)
- Product no.: 962161311
- Mfr. No.: 001647
- Color: Gold
- Height: .312
- Make: Universal Rifles
- Material: Brass
- Style: Bead
- Delivery weight: 0.005kg
- Shipping width: 83mm
- Shipping length: 146mm
- UPC: 053506016471

Item details

Made in USA

Table of Contents

- Startpage
- RIFLE BEAD 1/16" MEDIUM FRONT SIGHT Safety Instructions
- About Us

RIFLE BEAD 1/16" MEDIUM FRONT SIGHT Safety Instructions

Introduction

Thank you for choosing the RIFLE BEAD 1/16" MEDIUM FRONT SIGHT. This product is designed to enhance your shooting experience by providing a clear and precise sight picture. It is essential to follow the safety guidelines and instructions outlined in this manual to ensure safe and effective use.

General Safety Guidelines

- Always handle firearms and accessories with care and responsibility.
- Ensure that the product is installed correctly before use.
- Regularly inspect the sight for any signs of wear or damage.
- Keep the sight and all firearms out of reach of children and unauthorized users.
- Use the product only for its intended purpose.
- If you notice any irregularities or malfunctions, cease use immediately and consult a professional.
- Report any unsafe products or incidents to the relevant authorities.

Specific Safety Precautions for Use

- Always wear appropriate eye protection when using firearms.
- Ensure that the firearm is unloaded when installing or adjusting the sight.
- Follow the manufacturer's instructions for your specific firearm model to ensure compatibility.
- Avoid using the sight in adverse weather conditions that could impair visibility.
- Be aware of your surroundings and ensure a safe shooting environment.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove any existing front sight according to the manufacturer's instructions.
- Align the RIFLE BEAD 1/16" MEDIUM FRONT SIGHT with the dovetail slot.
- Securely fasten the sight using the appropriate tools, ensuring it is firmly in place.

2. Usage:

- Position your eye behind the sight and align it with the target.
- Maintain a steady hand and a firm grip on the firearm.
- Take your time to ensure accuracy and avoid rushing shots.

3. Maintenance:

- Regularly clean the sight with a soft, dry cloth to remove any dirt or debris.
- Inspect the bead for any signs of damage or wear.
- If the bead becomes loose or discolored, consider replacing it to maintain optimal performance.

Disposal Instructions

- Dispose of the sight in accordance with local regulations regarding electronic and metal waste.
- Do not dispose of the sight in regular household waste.
- Consider recycling options available in your area to minimize environmental impact.

Contact Information for Further Support

For any questions or support regarding the RIFLE BEAD 1/16" MEDIUM FRONT SIGHT, please refer to the manufacturer's contact information provided with the product packaging.

By following these guidelines and instructions, you can ensure a safe and enjoyable experience with your RIFLE BEAD 1/16" MEDIUM FRONT SIGHT. Thank you for your commitment to safety and responsible firearm use.

About Us

Brownells Austria

Brownells - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

www.brownells.at