

Platinum Series Stuck Case Remover

[Reloading](#) > [Reloading Dies](#) > [Stuck Case Removers](#)

Get back to reloading in minutes with the Frankford Arsenal Stuck Case Remover. No need to disassemble your press or break out your other tools. Simply insert the device into the shell holder, clamp down on the case and activate the press lever to quickly and efficiently separate the case from the die. Once the case is free, remove the tool and continue to reload.

NO IMAGE
AVAILABLE

Attributes

- Name: [Platinum Series Stuck Case Remover](#)
- Manufacturer: [Frankford Arsenal](#)
- Product no.: EU1000335
- Mfr. No.: 1078192
- Colour: Grey
- Delivery weight: 0.27kg
- Shipping height: 91mm
- Shipping width: 229mm
- Shipping length: 188mm
- UPC: 661120411338

Table of Contents

- Startpage
- Frankford Arsenal Platinum Series Stuck Case Remover Safety Instruction Guide
- About Us

Frankford Arsenal Platinum Series Stuck Case Remover Safety Instruction Guide

Introduction

Thank you for choosing the Frankford Arsenal Platinum Series Stuck Case Remover. This product is designed to assist you in safely and efficiently removing stuck cases from your reloading die. Please read this safety instruction guide carefully to ensure safe usage and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Always use the Stuck Case Remover as intended and according to the instructions provided.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the tool for any signs of damage or wear before use.
- Ensure that your work area is clean, welllit, and free from distractions.
- Report any unsafe products or accidents to the appropriate authorities.
- Stay informed about product recalls and safety updates through the EU's Safety Gate platform.

Specific Safety Precautions for Use

- Do not attempt to use the Stuck Case Remover if you are under the influence of drugs or alcohol.
- Always wear appropriate personal protective equipment (PPE), such as safety glasses, when using the tool.
- Ensure that the press lever is securely activated before attempting to remove the case.
- Avoid using excessive force when clamping down on the case to prevent damage to the tool or injury.
- Do not disassemble the Stuck Case Remover or attempt repairs; contact a professional if issues arise.

Instructions for Installation and Usage

1. Preparation:

- Ensure that your reloading press is set up correctly and that the shell holder is clean and free from debris.
- Gather all necessary equipment and ensure that the Stuck Case Remover is in good condition.

2. Using the Stuck Case Remover:

- Insert the Stuck Case Remover into the shell holder, ensuring it fits snugly.
- Clamp down on the stuck case using the device.
- Activate the press lever to separate the case from the die quickly and efficiently.
- Once the case is free, remove the Stuck Case Remover from the shell holder.
- Continue with your reloading process as usual.

3. PostUse Care:

- Clean the Stuck Case Remover after each use to maintain its functionality.
- Store the tool in a safe and dry place, away from children and pets.

Disposal Instructions

- Dispose of any damaged or wornout parts of the Stuck Case Remover in accordance with local regulations.

- Recycle packaging materials where possible to minimize environmental impact.

Contact Information for Further Support

For any inquiries regarding safety or product issues, please reach out to your local retailer or manufacturer. Ensure that you have the product information available for reference.

Thank you for prioritizing safety while using the Frankford Arsenal Platinum Series Stuck Case Remover. Enjoy your reloading experience!

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk