

Ultra Jag - Ultra Jag 20 Caliber

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

Take a modern bore solvent and squirt it on a brass cleaning jag. The liquid will turn blue as it drips off the jag - it is working so fast, it starts to dissolve your cleaning jag in front of your eyes! If you are following conventional wisdom "clean until you get a clear patch" you might be in for a long night. Tipton®'s Ultra Jag™ features a patent-pending technology that covers the surface of a traditional push-type jag with solvent-proof material, keeping aggressive modern bore solvents from creating false blue stains that normally indicate copper fouling. When you use Ultra Jags, you will get better, faster cleaning results because you will know you are getting blue stains from copper fouling and not from the surface of your jag.

NO IMAGE
AVAILABLE

Attributes

- Name: [Ultra Jag 20 Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001009
- Mfr. No.: 589546
- Caliber: 20 Caliber
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 52mm
- Shipping length: 178mm
- UPC: 661120895466

Table of Contents

- Startpage
- Tipton Ultra Jag Safety Instruction Guide
- About Us

Tipton Ultra Jag Safety Instruction Guide

Introduction

Thank you for choosing the Tipton Ultra Jag for your cleaning needs. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of the product. Please read and follow all instructions carefully.

General Safety Guidelines

- Ensure that the Ultra Jag is used only for its intended purpose: cleaning firearms.
- Always handle cleaning solvents with care. Follow the manufacturer's instructions for safe use.
- Store the Ultra Jag and cleaning solvents out of reach of children and pets.
- Be aware of the potential hazards associated with the use of solvents, including flammability and toxicity.
- Regularly check for product recalls or safety alerts on the EU Safety Gate platform.

Specific Safety Precautions for Use

- Before using the Ultra Jag, ensure that the firearm is unloaded and pointed in a safe direction.
- Use gloves and protective eyewear when handling solvents to avoid skin and eye contact.
- Work in a wellventilated area to minimize exposure to fumes from cleaning solvents.
- Do not mix different types of solvents, as this may create harmful reactions.
- Dispose of used cleaning materials and solvents according to local regulations.

Instructions for Installation and Usage

1. Preparation:

- Ensure your firearm is unloaded and in a safe position.
- Gather your cleaning supplies, including the Ultra Jag, bore solvent, and cleaning rod.

2. Using the Ultra Jag:

- Attach the Ultra Jag to the cleaning rod securely.
- Apply a modern bore solvent to the brass cleaning jag.
- Observe the color change of the solvent as it interacts with copper fouling.
- Clean the bore thoroughly, ensuring that you are aware of any blue stains indicating copper fouling.

3. PostCleaning:

- After cleaning, remove the Ultra Jag from the cleaning rod.
- Clean the Ultra Jag with a suitable solvent to remove any residue.
- Store the Ultra Jag in a safe place, ensuring it is dry and free from contaminants.

Disposal Instructions

- Dispose of used cleaning solvents and materials in accordance with local regulations.
- Do not pour solvents down the drain or dispose of them in regular trash.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any questions or concerns regarding the use of the Tipton Ultra Jag, please refer to the product packaging or visit the manufacturer's website for additional support.

Thank you for using the Tipton Ultra Jag. Your safety and satisfaction are our top priorities.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk