

Solid Brass Jag - Solid Brass Jag 375 Caliber

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

- Caliber specific individual Solid Brass Cleaning Jags
- Designed to provide a tight fit between the patch and the bore
- Pointed tip keeps the patch centered
- Jags have 8-32 threads
- .17 and .20 Cal Jags have 5-40 thread

NO IMAGE
AVAILABLE

Attributes

- Name: [Solid Brass Jag 375 Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001031
- Mfr. No.: 272744
- Caliber: 375 Caliber
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 52mm
- Shipping length: 178mm
- UPC: 661120727446

Table of Contents

- Startpage
- Tipton Solid Brass Jag Safety Instruction Guide
- About Us

Tipton Solid Brass Jag Safety Instruction Guide

Introduction

Thank you for choosing the Tipton Solid Brass Jag for your cleaning needs. This guide provides essential safety instructions and guidelines to ensure the safe and effective use of this product. Please read this manual thoroughly before use.

General Safety Guidelines

- Ensure that the product is used only for its intended purpose.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for signs of damage or wear. Do not use if damaged.
- Store the product in a dry place to prevent corrosion.
- Always follow the manufacturer's instructions for use and maintenance.

Specific Safety Precautions for Use

- **Hazard Identification:**
 - Risk of injury if used improperly.
 - Potential for damage to firearms if cleaning jags are not the correct caliber.
- **Avoiding Hazards:**
 - Always ensure you are using the correct caliber jag for your firearm.
 - Do not force the jag into the bore; it should fit snugly without excessive pressure.
 - Always point the firearm in a safe direction when cleaning.
 - Wear appropriate eye protection when cleaning firearms.

Instructions for Installation and Usage

• Installation:

1. Identify the caliber of your firearm (e.g., .375 Caliber).
2. Select the corresponding Tipton Solid Brass Jag.
3. Attach the jag to a compatible cleaning rod with 832 threads.

• Usage:

1. Ensure the firearm is unloaded and pointed in a safe direction.
2. Insert a cleaning patch onto the jag.
3. Gently push the jag into the bore, ensuring the pointed tip keeps the patch centered.
4. Pull the jag back through the bore to clean. Repeat as necessary.
5. After cleaning, remove the jag and patch from the rod.

Disposal Instructions

- Dispose of the product in accordance with local regulations.
- Do not dispose of the product in regular household waste if it is damaged or contains hazardous materials.
- Check with local waste management authorities for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Tipton Solid Brass Jag, please contact your local

retailer or the manufacturer directly.

Thank you for your attention to these safety instructions. By following these guidelines, you can ensure a safe and effective cleaning experience with your Tipton Solid Brass Jag.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk