

Solid Brass Jag 44 Caliber

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

- Caliber specific individual Solid Brass Cleaning Jags
- Designed to provide a tight fit between the patch and the bore
- Pointed tip keeps the patch centered
- Jags have 8-32 threads
- .17 and .20 Cal Jags have 5-40 thread

NO IMAGE
AVAILABLE

Attributes

- Name: [Tipton Solid Brass Jag 44 Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001033
- Mfr. No.: 301110
- Caliber: 44 Caliber
- Delivery weight: 0.05kg
- Shipping height: 13mm
- Shipping width: 51mm
- Shipping length: 150mm
- UPC: 661120011101

Table of Contents

- Startpage
- Tipton Solid Brass Jag Safety Instructions
- About Us

Tipton Solid Brass Jag Safety Instructions

Introduction

Thank you for choosing the Tipton Solid Brass Jag. This product is designed for cleaning 44 caliber firearms safely and effectively. Please read this safety instruction guide carefully to ensure safe use and compliance with the EU General Product Safety Regulation (GPSR).

General Safety Guidelines

- Ensure that the product is used only for its intended purpose, which is cleaning firearms.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the product for wear and tear. Do not use if damaged.
- Always follow the manufacturer's instructions for use and maintenance.
- In case of an accident or injury, report it to the appropriate authorities.

Specific Safety Precautions for Use

- Always handle firearms with care and treat them as if they are loaded.
- Before using the Tipton Solid Brass Jag, ensure the firearm is unloaded.
- Use the cleaning jag only with compatible cleaning patches and solvents.
- Avoid excessive force during use to prevent damage to the jag or firearm.
- Wear safety glasses when cleaning firearms to protect your eyes from cleaning solvents and debris.
- Do not leave the cleaning jag unattended while in use.

Instructions for Installation and Usage

1. Preparation:

- Ensure your workspace is clean and welllit.
- Gather all necessary cleaning supplies and the Tipton Solid Brass Jag.

2. Installation:

- Attach the Tipton Solid Brass Jag to a compatible cleaning rod with 832 threads.
- Ensure that the jag is securely fastened to prevent detachment during use.

3. Usage:

- Take a cleaning patch and center it on the pointed tip of the jag.
- Insert the jag into the bore of the firearm gently.
- Pull the cleaning rod back and forth to clean the bore, ensuring a tight fit between the patch and the bore.
- After use, remove the jag from the firearm and detach the cleaning patch.

4. Postusage Care:

- Clean the jag with a suitable solvent to remove any residue.
- Store the jag in a dry place to prevent corrosion.

Disposal Instructions

- Dispose of any used cleaning patches and solvents according to local regulations.
- Do not dispose of the Tipton Solid Brass Jag in regular household waste. Check with local waste

management for proper disposal methods.

Contact Information for Further Support

For any safety inquiries or concerns regarding the Tipton Solid Brass Jag, please contact the manufacturer or your local distributor. Ensure you have the product details ready for a more efficient response.

Thank you for your attention to these safety guidelines. By following these instructions, you can ensure a safe and effective cleaning experience with your Tipton Solid Brass Jag.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk