

Solid Brass Jag - Solid Brass Jag 50 Caliber

[Gun Cleaning & Chemicals](#) > [Cleaning Rods & Accessories](#) > [Cleaning Rod Jags](#)

- Caliber specific individual Solid Brass Cleaning Jags
- Designed to provide a tight fit between the patch and the bore
- Pointed tip keeps the patch centered
- Jags have 8-32 threads
- .17 and .20 Cal Jags have 5-40 thread

NO IMAGE
AVAILABLE

Attributes

- Name: [Solid Brass Jag 50 Caliber](#)
- Manufacturer: [TIPTON](#)
- Product no.: EU1001035
- Mfr. No.: 505050
- Caliber: 50 Caliber
- Delivery weight: 0.02kg
- Shipping height: 25mm
- Shipping width: 52mm
- Shipping length: 178mm
- UPC: 661120050506

Table of Contents

- [Startpage](#)
- [Tipton Solid Brass Jag Safety Instruction Guide](#)
- [About Us](#)

Tipton Solid Brass Jag Safety Instruction Guide

Introduction

Thank you for choosing the Tipton Solid Brass Jag for your cleaning needs. This product is designed to provide a tight fit for effective cleaning of your firearms. It is important to follow the safety guidelines outlined in this document to ensure safe and effective use.

General Safety Guidelines

- Always handle firearms with care and follow the basic rules of firearm safety.
- Ensure the Tipton Solid Brass Jag is suitable for your specific caliber before use.
- Keep the product out of reach of children and vulnerable individuals.
- Regularly inspect the jag for any signs of damage or wear before use.
- Use the jag only for its intended purpose, which is cleaning firearm bores.

Specific Safety Precautions for Use

- **Avoid Overtightening:** Do not overtighten the jag when attaching it to the cleaning rod, as this may cause damage.
- **Use Proper Fit:** Ensure that the cleaning patch fits snugly against the jag to prevent it from coming loose during cleaning.
- **Pointed Tip Caution:** The pointed tip is designed to keep the patch centered; however, handle with care to avoid injury.
- **Thread Compatibility:** Ensure that the threads on the jag (832) are compatible with your cleaning rod to prevent stripping or damage.
- **Environmental Considerations:** Use the product in a wellventilated area to avoid inhalation of cleaning solvents or chemicals.

Instructions for Installation and Usage

1. Preparation:

- Gather all necessary cleaning supplies, including cleaning patches, solvents, and a cleaning rod.
- Ensure that your firearm is unloaded and pointed in a safe direction.

2. Attaching the Jag:

- Screw the Tipton Solid Brass Jag onto the cleaning rod using the 832 threads.
- Ensure a secure fit without overtightening.

3. Preparing the Patch:

- Select a cleaning patch appropriate for the caliber you are cleaning (50 Caliber).
- Center the patch over the jag's pointed tip.

4. Cleaning Process:

- Apply a suitable cleaning solvent to the patch.
- Insert the jag into the firearm bore and pull it through gently.
- Repeat as necessary until the bore is clean.

5. PostCleaning:

- Remove the jag from the cleaning rod after use.

- Clean the jag with a suitable solvent and dry thoroughly before storage.

Disposal Instructions

- Dispose of any used cleaning patches and solvents according to local regulations.
- The Tipton Solid Brass Jag is a durable product; however, if it becomes damaged beyond use, please recycle it according to local recycling laws.

Contact Information for Further Support

For any safety inquiries or additional support regarding the Tipton Solid Brass Jag, please refer to the manufacturer's contact information provided on the packaging or visit the official website.

Conclusion

By following these safety instructions, you can ensure a safe and effective cleaning experience with the Tipton Solid Brass Jag. Always prioritize safety, and do not hesitate to seek assistance if you have any questions or concerns. Thank you for your attention to these important guidelines.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk