

Recoil Pad Installation Fixture

[Gunsmith Tools](#) > [General Gunsmith Tools](#)

Accurately transfers the toe-line angle and the comb line from the stock to the new recoil pad; also serves as a stable work holding fixture for off-the-stock sanding of the pad. Designed for use with any table-mounted belt or disc sander. Rigid, cast aluminum base and aluminum pad mounting bar.

NO IMAGE
AVAILABLE

Attributes

- Name: [Recoil Pad Installation Fixture](#)
- Manufacturer: [Wheeler](#)
- Product no.: EU1001308
- Mfr. No.: 184528
- Delivery weight: 0.26kg
- Shipping height: 61mm
- Shipping width: 61mm
- Shipping length: 150mm
- UPC: 661120845287

Table of Contents

- Startpage
- Wheeler Recoil Pad Installation Fixture Safety Instructions
- About Us

Wheeler Recoil Pad Installation Fixture Safety Instructions

Introduction

Thank you for choosing the Wheeler Recoil Pad Installation Fixture. This product is designed to assist you in accurately installing recoil pads on firearms. Please read this safety instruction guide carefully to ensure safe and effective use of the fixture.

General Safety Guidelines

- Always use the product in accordance with the instructions provided.
- Ensure that the fixture is used in a wellventilated area to avoid inhalation of dust or particles.
- Keep the fixture out of reach of children and vulnerable individuals.
- Regularly inspect the fixture for any signs of damage or wear. Do not use if damaged.
- Follow all local laws and regulations regarding the use of firearms and related tools.

Specific Safety Precautions for Use

- Wear appropriate personal protective equipment (PPE), including safety goggles and dust masks, when sanding or working with the fixture.
- Ensure that the work area is clean and free of any clutter that may pose a tripping hazard.
- Always secure the fixture on a stable surface before use to prevent movement during operation.
- Do not exceed the recommended pressure when sanding to avoid damaging the recoil pad or the fixture.
- Be cautious of sharp edges on the fixture and tools; handle with care to avoid cuts or injuries.

Instructions for Installation and Usage

1. Preparation

- Gather all necessary tools and materials, including the recoil pad, fixture, tablemounted belt or disc sander, and PPE.
- Ensure your work area is clean and organized.

2. Setting Up the Fixture

- Place the Wheeler Recoil Pad Installation Fixture on a stable work surface.
- Secure the fixture using clamps or screws if necessary to prevent movement.

3. Transferring Measurements

- Align the toeline angle and comb line of the stock with the corresponding markings on the fixture.
- Use a pencil or marker to trace the measurements onto the new recoil pad.

4. Sanding the Recoil Pad

- Attach the recoil pad to the fixture securely.
- Using a tablemounted belt or disc sander, carefully sand the edges of the recoil pad to match the traced lines.
- Monitor the sanding process closely to avoid oversanding.

5. Final Inspection

- After sanding, inspect the recoil pad to ensure it fits properly on the stock.

- Make any necessary adjustments before final installation.

Disposal Instructions

- Dispose of any waste materials, including dust and debris, in accordance with local regulations.
- Do not dispose of the fixture in regular household waste if it is damaged; follow local guidelines for disposal of metal products.

Contact Information for Further Support

For any safety inquiries, product support, or to report unsafe products, please contact the designated EUbased contact point for this product.

Thank you for your attention to these safety instructions. Your safety and the safety of others is our top priority.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk