

ESS Chassis System Kit Winchester Model 70 SA RH 308 Win with 7.125" action screw spacing Black

[Rifle Parts](#) > [Stock Parts](#) > [Rifle Stocks](#)

The rifle (system) and scope shown in the picture are not for sale and are not included. Only the chassis is included in the delivery.

Ultimate ergonomics and features! ESS Chassis System Kit includes a 15" forend, an adjustable buttstock and an AR pistol grip, only a magazine should be purchased separately.

- The buttstock is fully adjustable including lateral adjustment for the butt-pad and the cheek rest. Cheek rest height and butt-pad length-of-pull are adjustable by thumb wheels.
- V-block bedding system to form a solid and reliable base for the rifle action.
- The magazine well has been refined for easy insertion of the magazine.
- Ambidextrous, easy reach magazine latch - can be operated with trigger finger or left hand.
- Barricade stop in front of the magazine to prevent putting pressure on the magazine.
- Compatible with all non-beavertail AR pattern pistol grips. Beavertail grips will fit with minor trimming.

NO IMAGE
AVAILABLE

Attributes

- Name: [MDT ESS Chassis System Kit Winchester Model 70 SA RH 308 Win with 7.125" action screw spacing Black](#)
- Manufacturer: [MDT](#)
- Product no.: EU2004056
- Mfr. No.: 104624-BLK
- Action Type: Short
- Colour: Black
- Hand (RH LH): Right
- Material: Aluminum
- Model: 70
- Style: Chassis
- Weapon type: Winchester
- Delivery weight: 2.1kg
- Shipping height: 200mm
- Shipping width: 100mm
- Shipping length: 685mm
- UPC: 682131927465

Table of Contents

- Startpage
- MDT ESS Chassis System Kit Winchester Safety Instructions
- About Us

MDT ESS Chassis System Kit Winchester Safety Instructions

Introduction

Thank you for choosing the MDT ESS Chassis System Kit for your Winchester Model 70 SA RH 308 Win. This guide provides essential safety instructions to ensure the safe use and handling of your product. Please read this document carefully before installation and use.

General Safety Guidelines

- Always ensure the firearm is unloaded before installation or adjustment of the chassis system.
- Keep the product and all firearm accessories out of reach of children and unauthorized users.
- Inspect the chassis system for any damage or wear before each use. Do not use if damaged.
- Follow all local laws and regulations regarding firearm modifications and usage.
- Use only compatible components as specified in the product description to avoid potential hazards.
- Be aware of your surroundings when handling firearms and ensure a safe environment for operation.

Specific Safety Precautions for Use

- Ensure the magazine is properly inserted before attempting to load or fire the firearm.
- Use the adjustable buttstock and cheek rest features to ensure a comfortable and secure shooting position.
- Do not exceed the recommended lengthofpull or cheek rest height adjustments.
- Always engage the barricade stop when necessary to prevent undue pressure on the magazine.
- If using a beavertail grip, ensure proper trimming is performed to avoid interference with the chassis system.
- Regularly check the magazine latch for proper operation and free movement.

Instructions for Installation and Usage

1. Installation:

- Ensure the firearm is unloaded and pointed in a safe direction.
- Remove the existing stock from the Winchester Model 70 SA.
- Align the ESS chassis system with the action of the rifle, ensuring proper fit.
- Secure the chassis using the provided action screws, ensuring they are tightened to the manufacturer's specifications.

2. Adjusting the Buttstock:

- Locate the thumb wheels on the buttstock.
- Adjust the lengthofpull by turning the appropriate thumb wheel clockwise to increase length or counterclockwise to decrease.
- Adjust the lateral position of the buttpad by loosening the adjustment screws and repositioning as needed.

3. Adjusting the Cheek Rest:

- Use the thumb wheels to adjust the height of the cheek rest for optimal alignment with the rifle scope.
- Ensure the cheek rest is securely locked in place after adjustments.

4. Loading the Magazine:

- Ensure the magazine is clean and free of obstructions.
- Insert the magazine into the magazine well until it clicks into place.
- Check the magazine latch to ensure it is secure.

5. Firing the Rifle:

- Always follow standard firearm safety practices when preparing to fire.
- Position yourself comfortably with a firm grip on the AR pistol grip.
- Aim at the target and ensure your surroundings are safe before firing.

Disposal Instructions

- Dispose of the product in accordance with local regulations regarding the disposal of firearm accessories.
- Do not discard in regular household waste. Check for recycling programs or hazardous waste disposal options in your area.

Contact Information for Further Support

For any inquiries regarding safety, installation, or usage of the MDT ESS Chassis System Kit, please refer to the manufacturer's website or contact your local dealer for assistance.

Conclusion

By following these safety instructions, you can ensure the safe and effective use of the MDT ESS Chassis System Kit. Always prioritize safety and compliance with local laws when handling firearms and accessories. Thank you for your commitment to responsible firearm ownership.

About Us

Brownells UK

Brownells UK - World's Largest Supplier of Gun Parts, Gunsmith Tools & Shooting Accessories

Unit 1, Laughing Dog Industrial Estate
London Road
Rugby
Warwickshire
CV23 9LP

www.brownells.co.uk